

Molecular and Cellular Endocrinology

Key Word Index to Volumes 68–74 (1990)

Author Index to Volumes 68–74 (1990)

ELSEVIER SCIENTIFIC PUBLISHERS IRELAND LTD. – SHANNON

Molecular and Cellular Endocrinology, 74 (1990) i1–i7
Elsevier Scientific Publishers Ireland, Ltd.

Key Word Index to Volumes 68–74 (1990)

A23187, (70) 21
c-erb A, (70) 175
A431 cell, (71) 27
Acetylcholine, (72) 227
Acetylcholine, (70) 119
ACTH, (68) 29; (69) 41
ACTH effects, (72) 159
ACTH secretion, regulation, (71) C35
Activin, (69) 1; (69) C17
Activin A, (69) 179
Acute-phase response, (72) 213; (74) C97
Adenohypophyseal secretion, (73) 1
Adenosine, (73) 111
Adenylate cyclase, (70) 119; (74) 133
Adhesion molecule, (71) 55
Adipocyte, (73) 105
Adipocyte, rabbit, (71) 229
Adrenal, (72) 227; (73) 83; (74) R7
Adrenal cell, (74) 109
Adrenal cortex, (71) R1
Adrenalectomy, (68) R1
Adrenal, rat, (69) 41
Adrenal steroidogenesis, (73) R7
α_1-Adrenergic receptor, (74) 1
Adrenocorticotropic hormone secretion, (68) 77
Affinity labeling, (70) 175
Aging, (73) R7
Alcohol dehydrogenase, (68) 67
Aldosterone, (72) 73
Aldosterone biosynthesis, (72) 159
Alpha-glycoprotein hormone, (71) 253
Alternative splicing, (71) 185
Amino acid, (72) 167
Aminoglutethimide, (69) 41
4-Aminopyrazolopyrimidine, (69) 41
Amnion, (68) R7
Androgen, (68) 143; (71) 33; (71) 239; (73) 171
Androgen-binding protein, (68) 195
Androgen receptor, (68) C7; (68) 195; (74) 75; (74) 203
Androgen resistance, (68) C7
Androgen response elements, (74) 203
Androgen-responsive gene, (68) 67
Angiotensin II, (72) 73
Angiotensinogen, (74) C97
Anterior pituitary, (69) 69; (69) 179; (71) 73; (71) 165
Antiandrogen, (68) 169
Anti-estrogen, (69) 207; (71) R25; (74) C91
Aqueous two-phase partitioning study, (70) 175
Arachidonate, (72) 239
Arachidonic acid, (69) C11; (72) 73
Arachidonic acid metabolite, (70) 147
Arginine vasopressin, (73) 111
Aromatase, (70) 31
Aromatase activity, (69) 1; (69) 187
Aromatic hydrocarbon (Ah) receptor, (69) 51
Atrial natriuretic factor, (69) 227
Atrial natriuretic hormone, (68) 163
Atrial natriuretic peptide, (73) 153
Atrial natriuretic peptide receptor, (68) 35
Autoimmunity, (73) R13
Autoradiography, (70) 99; (71) 133
Avidin, (69) 235

Basic fibroblast growth factor, (68) R19
B cell membrane, (71) 49
Beta agonist, (73) 211
Beta cell, (70) 119
BeWo cell, (69) 145
Bicameral chamber system, (73) 35
Binding, (71) 41
Binding capacity, (72) 143
Binding protein, (68) 187; (70) 197
Bioactivity, (74) 125
Bioassay, (71) 125
Biosynthesis, (69) 145
Bovine granulosa cell, (69) 17
Bovine growth hormone receptor, (72) 187
Bovine luteal cell, (70) 81
Bradykinin, (72) 239
lys-Bradykinin, (72) 239
Brain regulation, (68) 153
Breast cancer, (73) 171; (74) C83
Breast cancer cell (MCF-7), (72) 89; (74) 11
Breast carcinoma, (69) 111
Brown adipose tissue, (73) 27; (73) 105

Ca^{2+}, (72) 227; (74) R1
CaBP, (72) 23
Calbindin, (72) 23
Calbindin-mRNA, (72) 23
Calcitonin gene-related peptide, (71) 13
Calcitonin, molecular forms, (71) 13
Calcitonin secretion, (71) R13
Calcitriol, (71) 177
Calcium, (68) 153; (69) 9; (69) C11; (70) 273; (72) 239; (73) 153; (74) 109; (74) 185; (74) C87

Calcium channel blocker, (71) 205
Calcium, extracellular, (70) 139
Calcium, intracellular, (71) 205
Calcium metabolism, (72) C57
Calmodulin, (71) 63; (74) 109; (74) 143
Carbohydrate chain, (70) 263
Carbonyl cyanide *m*-chlorophenylhydrazone, (74) 87
Carbachol, (70) 119
Cartilage, (70) 237
Casein gene expression, (73) 53
Castration, (73) 165
CAT assay, (74) 75
Catechol estrogen, (69) 25
C-6 cell, (70) 155
Cell binding assay, (71) 55
Cell culture, (70) 65; (71) 205; (72) 149; (73) R7; (73) 153; (74) 87
Cell density, (69) 179
Cell differentiation, (73) 105
Cell division, (72) 55
Cell number, (69) 179
Cell proliferation, (68) 21
Cell-specific regulation, (70) C29
Cell swelling, (70) 273
Cell transformation, (70) 205
Ceruloplasmin, (73) 35
c-*fos*, (71) 27; (71) R1; (72) 149
Chloride channel, (69) C11
CHO cells, (73) R13; (74) R1
Cholecystokinin 8-sulfate, (70) 119
Cholera toxin, (69) 217; (70) 247
Cholesterol-*P*-450 complexes, (73) 123
Cholesterol side-chain cleavage, (73) 123
Choriocarcinoma, (72) 167
Choriogonadotropin, (68) 113
Chorionic gonadotropin, (71) R19
Chromatography, (71) 13
C3H/10T1/2 fibroblasts, (74) 191
Circadian rhythm, (71) R1
Cloning, (73) 135
c-*myc*, (70) 1; (71) 27; (72) 149; (74) 191
Compartmentalization, (71) 73
Compartment, intracellular, extracellular, (74) 163
Conformation of α-subunit, (72) 63
Constitutive release, (70) 65
Corpus luteum, (69) 199
Corpus luteum, bovine, (71) 133
Cortex, (72) 227
Corticotropin-releasing hormone, (70) 165
Cortisol, (72) 227
COS 1 cells, (73) 73
Covalent labeling, (68) 195; (74) 21; (74) 33
Cross-linking, (71) 41
Culture, (71) 141
Culture, cell, (72) 149
Cyclic AMP, (68) 105; (69) 207; (69) C11; (70) 49; (70) 119; (70) 147; (70) 165; (70) 247; (70) C25; (71) 217; (72) 13; (72) 103; (73) 195; (73) 211; (74) R1
Cyclic AMP accumulation, (73) 111
Cyclic nucleotide, (68) 153
Cycloheximide, (68) R7
Cytochrome *P*-450, (70) C25
Cytochrome *P*-450$_{scc}$, (72) 111; (72) 159
Cytochrome *P*-450f, (68) 53
Cytoskeleton, (71) 165; (74) 109
Cytosolic calcium, (74) 87

Daily rhythm, (73) 165
20,000 Da variant of growth hormone, (73) 11
Decidua, (71) 177
Degradation, (71) 229
Deoxymannojirimycin, (73) 217
Desensitization, (72) 121; (73) 211
Development, (69) R1
Dexamethasone, (69) 41; (71) R13; (72) C53
Diacylglycerol, (68) 129; (70) 119; (72) 73
DiC8, (70) 21
Differentiation, (70) 225; (72) 55
1,25-Dihydroxyvitamin D_3, (70) 1; (71) R13; (72) 23; (72) C57; (74) 191
Dioxin, (69) 51
Diploptera punctata, (70) 185
cDNA, (71) 253; (74) R1
DNase I protection, (71) 93
Docking complex, (74) C69
Dopamine, (70) 65; (70) 225; (72) 239
Dopamine receptor, (73) 1
Down-regulation, (70) 155
Drosophila melanogaster, (68) 153; (74) 133

Ecdysone, (74) 229
Embryo, (74) 155
Endocrine disorders and neoplasia, (73) 211
β-Endorphin, (68) 181
Endothelin, (68) R7; (70) 155
Epidermal growth factor, (68) R7; (69) R7; (69) 111; (69) 217; (73) 195
Epidermal growth factor receptor, (69) 111; (70) 205
Epidermal growth factor receptor binding, (72) 247
Epididymal-specific genes, (74) 61
Epididymis, (74) 61
Epithelium, (72) 149
Epitope mapping, (73) 15
Escherichia coli expression vector, (70) 175
Estradiol, (71) 195
Estradiol-2/4-hydroxylase, (69) 25
Estradiol-4-hydroxylase, (69) 25
Estrogen, (72) 149; (73) 171
Estrogen receptor, (71) 195; (72) 89; (74) 11; (74) 33
Estrogen receptor cDNA, (71) 195
Estrogen receptor phosphorylation, (74) 21
Estrogen receptor variant, (74) C83
Estrogen regulation, (74) 11
Estrogen response element, (69) 167
Ethane dimethane sulfonate, (70) 89
Exon/intron organization, (71) 83

Expression system, (74) 45
Expression vector, (74) 45
Extrarenal renin, (73) 83

Fatty acids lipid bilayer order, (71) 49
F9 cell, (71) 27
Fetal uro-genital tract, (69) R13
Fetus, (72) 111
Fibroblast growth factor, (73) 187
Fish reproduction, (71) 253
Fluorescence polarization, (71) 49
Flutamide, (68) 169
Follicle, (69) 17
Follicle-stimulating hormone, (70) 73; (70) 89; (70) 247; (71) 239; (72) 13; (72) 33; (73) 179; (73) C63
Follicle-stimulating hormone mRNA, (68) 45
Follicle-stimulating hormone, stimulation, (74) 125
Follicle-stimulating hormone-suppressing protein, (69) 1; (72) 33
Folliculo-stellate cell, (71) 73
Follistatin, (72) 33
Forskolin, (70) 247; (72) 103
Functional expression, (71) R7
Fura 2, (74) 87

Gastric inhibitory polypeptide, (70) 119
GC cell, (71) 261
GCDFP-15 expression, (73) 171
Gene expression, (68) 53; (71) 185; (72) 143; (72) 247
Gene expression regulation, (73) C63
Gene transcription, (74) C97
Gene transfer, (69) 93
Germ cell, (72) 13
Germ cell proliferation, (69) 121

hGH-CAT, (71) 261
hGH-reporter gene, (71) 261
Glioma cell, (69) 157
Glomerulus, (68) 35
Glucocorticoid, (68) C3; (68) R1; (68) 143; (72) 213; (72) C53; (74) 213
Glucocorticoid receptor, Type I, Type II, hippocampal, (71) C35
Glucocorticoids, (74) C97
Glucose transport, (69) 59
β-Glucuronidase, (68) 67
Glycoprotein, (70) 263
Glycoprotein hormone, (72) 63
Glycosyl-phosphatidylinositol, (68) R1
Gonadotroph, (74) 101
Gonadotropin, (70) 263; (71) 205; (72) 1; (73) 93
Gonadotropin receptor, (70) 49; (73) 93
Gonadotropin-releasing hormone, (68) 85; (69) 135; (70) 99; (72) 33; (72) 131
Gonadotropin secretion, (68) 85; (68) 95; (72) 33
Gonadotropins, pituitary, (73) C63
G protein, (69) C11; (69) 217; (73) 1
Granulocyte-macrophage colony stimulating factor, (70) 1
Granulosa cell, (69) 1
Granulosa cell, ovary, (68) 143
Graves' disease, (73) R13
Growth factor, (69) 207
Growth hormone, (68) 53; (68) 187; (69) 93; (69) 129; (70) 41; (70) 197; (70) 237; (73) 11; (73) 147
Growth hormone-binding protein mRNA, (73) R1
Growth hormone, bovine, (72) 187
Growth hormone, rat, (72) 143
Growth hormone receptor, (70) 237; (72) 187; (73) 135
Growth hormone receptor mRNA, (70) 237; (73) R1
Growth hormone receptors (human liver), (73) 11
Growth hormone-releasing factor, (72) 221
Growth hormone-releasing hormone, (71) 105
Growth-related gene, (68) 21
Growth retardation, (74) 213
HCO_3^-/Cl^- exchange, (71) 21
Heart, (69) 227
Heart myocytes, rat, (73) 153
Heat-shock protein, (74) C69; (74) C77
Heat shock protein, 90 kDa, (74) 33
Hepatic receptor, (71) 41
Hepatocyte, (70) 41
Hepatocyte polarity, (74) 69
12-HETE, (72) 73
Hippocampus, (70) 99; (71) C35
Hormonal induction, (68) 143; (70) 255
Hormonal regulation, (74) 61
Hormone, (70) 263; (72) 95
Hormone antagonist, (74) C91
Hormone secretion, (71) 165
hsp90, (74) C69
Human choriogonadotropin, (72) 167
Human chorionic gonadotropin, (69) 145; (72) 43
Human fibrosarcoma cell line HT-1080, (72) 103
Hybridization, in situ, (68) 169; (69) 101; (70) 225
17α-Hydroxylase, (68) 29
17α-Hydroxylase cytochrome $P\text{-}450_{17\alpha}$, (74) R11
3-Hydroxy-3-methylglutaryl coenzyme A reductase, (69) 41
11β-Hydroxysteroid dehydrogenase, (68) C3
3β-Hydroxysteroid dehydrogenase, (74) R11
3β-Hydroxysteroid dehydrogenase/Δ^5-Δ^4 isomerase mRNA, (72) R7; (74) R7
Hypertension, (74) C87
Hyperthyroidism, (73) 27
Hypophysectomy, (69) 101

ICAM-1, (71) 55
ICI-164,384, (74) C91
IGFBP, (71) C39
Immunoactivity, (74) 125
Immunoassay, (73) 15
Immunocytochemistry, (68) 163; (70) 225; (71) R1; (71) 133; (73) 83; (74) R7
Immuno-endocrine feedback, (71) 73
Immunohistochemistry, (69) 235
Immunolocalization, (69) R1
Immunoprecipitation, (74) 21; (74) 33

Induction by testosterone, (68) 67
Inhibin, (68) 45; (69) C17; (70) 89; (70) 109; (72) 13; (74) 125
α-Inhibin gene, rat, (68) 121
Inhibin production, (69) 1
Inner medullary collecting tubule, (68) 35
Inositol phosphate, (72) 221; (72) 239
Inositol 1,4,5-trisphosphate, (70) 119; (72) 227
Insect, (70) 255; (73) 93
Insulin, (68) 129; (69) 59; (69) 111; (72) 81; (72) 121; (74) 155; (74) C87
Insulin degradation, (72) 175
Insulin-like growth factor, (74) 155; (74) 213
Insulin-like growth factor binding protein, (69) 79; (71) C39; (74) 175
Insulin-like growth factor I, (68) 61; (69) 217; (70) 41; (70) 81; (70) 217; (71) 239; (73) 147; (74) 45
Insulin-like growth factor II receptor, (74) 69
Insulin-like growth factor-I messenger ribonucleic acid, (73) 147
Insulin resistance, (68) R1
Insulin-secreting cell, (71) 21
Integrin superfamily, (74) 221
Interaction, (70) 217
Interleukin-1, (68) R7; (74) 221; (74) C97
Intracellular pH, Na^+/H^+ exchange, (71) 21
Intrapituitary intercellular control, (68) 77
Iodide organification, (73) 217
Iodination, (71) 217
Ion channel, (69) C11
Ionic flux, (71) 63
Islets, (68) 129
Isocitrate, (73) 123

Juvenile hormone, (68) 153; (70) 185
Juvenile hormone esterase, (70) 255

Kallikrein, (69) 129
Kidney, (73) 83
Kidney, rat, (73) 111

β-Lactoglobulin, (71) R7
Larva, (70) 255
Lens, (74) 155
L-Leucine, (73) 63
Leucine repeat elements, (71) R19
Leukotriene, (69) 33
Leydig cell, (68) R19; (69) 9; (69) 79; (69) R1; (69) C11; (70) 31; (70) 49; (70) 89; (70) 147; (70) 217
Leydig cell, rat, (73) 147
Leydig tumor cell, (74) R11
Lidocaine, (74) 185
Lipofuscin, (73) R7
Lipolysis, (71) 229
β-Lipotropin, (71) 229
5-Lipoxygenase, (69) 33
Liver, (72) 213
Liver endosome, (72) 175
Low-molecular weight activation inhibitor/steroid-binding stabilizer, (74) C77
Luteal and nonluteal cells, (71) 133
Luteal cell, bovine, (69) 245
Luteal maintenance, (71) 133
Luteal vasculature, (71) 133
Luteinizing hormone, (68) 85; (68) 105; (69) 245; (69) C11; (70) 21; (70) 89; (72) 33; (72) 131; (73) C63
Luteinizing hormone gene expression, (74) 101
Luteinizing hormone/human chorionic gonadotropin, (72) R7
Luteinizing hormone receptor, (72) 43
Luteinizing hormone, release, (69) 33
Luteinizing hormone-releasing hormone, (70) 89
Lutropin, (71) R19
Lutropin receptor, (71) R19
Lymphocyte, (71) 55
Lymphokine, (68) R31

MA-10, (69) 9
Mammalian cells, (74) 45
Mammary cell, (73) 53
Mammary gland, bovine, (69) 217
Manduca sexta, (74) 133
MCF-7, (74) C91
Medium, (72) 95
Medullary thyroid carcinoma, (71) 13
Medulloblastoma cell, (69) 157
Melanocortin receptor, (70) 139
Melanocyte-stimulating hormone, (72) 81
Melanotrophic cell, (70) 225
Melatonin receptor, (73) 165
Membrane receptor, (72) C53
Mesenchymal-epithelial cell interaction, (72) R1
Messenger RNA, (72) 121
Metabolism, intracellular, (68) 95
Methyltrienolone (R1881), (68) 195
Mibolerone, (68) 195
Microcarrier, (73) 153
Microdissected collecting tubule, (73) 111
Microfluorimetry, (71) 205
Mineralocorticoid, (68) C3
Mitochondria, (68) 137; (69) 9
Mitochondrial calcium, (74) 87
Mitogenic factor, (69) 121
Molecular cloning, (71) 253
Molecular variant, (68) R15
Monoclonal antibody, (71) 125; (72) 63
Morphology, (73) 195
Multiple transfection, (73) 73
Muscarinic receptor, (72) 227
Muscle, (74) 143
Myoblast, (74) 143

Naloxone, (68) 181
Nb2 lymphoma, (71) 125
Nb2 lymphoma cell, (71) 155
Neonatal and adult rats, (73) 63
Nephron microdissection, (68) 35
Neuroblastoma cell, (69) 157
Neuropeptide, (70) 185
Neuropeptide Y, (71) C45

Neuropeptide Y-related peptides, (71) C45
Neurosteroid, (72) C53
Newly synthesized prolactin, (70) 65
N-glycan, (73) 217
N-linked oligosaccharide, (70) 263
Northern analysis, (74) 1
Northern blotting, (69) 41
NPY, (71) C45
NPY antagonist, (71) C45
NPY receptor, (71) C45
Nuclear factor, (71) 93
Nuclear factor kB, (74) C97
Nuclear run-on transcription, (68) 21
Nucleotide, (72) 167

Obesity, (71) 229
1,25 $(OH)_2$-vitamin D_3, (74) 143
Oligomycin, (68) 137
Oligonucleotide, synthetic, (72) 143
Oncogene, (68) R25; (70) 205; (72) 149
Ontogenesis, (68) 35
Ontogeny, (74) R7
Oocyte–cumulus interaction, (72) 131
Oocyte maturation, (68) 181; (72) 131
Ornithine decarboxylase, (68) 67; (73) 45
Osmotic shock, (73) 53
Osteopontin mRNA, (74) 221
Ovalbumin, (69) 235
Ovarian granulosa cell, (74) 175
Ovarian nerve, (71) 33
Ovary, (70) 31; (72) 1; (72) R7; (72) 111; (73) 83
Ovary, theca and granulosa cell, (72) R1
Oxytocin, (69) 17; (70) 81
Oxytocin mRNA, (70) 81

P-$450_{17\alpha}$, (68) 29
P-450_{21}, (68) 29
$p185^{HER\text{-}2}$, (69) 111
Pancreatic islet, (71) 49
Pancreatic islets, D-glucose, (73) 63
Pancreatic islets, mouse, (71) 63
Papillomavirus, (70) 205
Paracrine communication, (71) 73
Paracrine interaction, (69) 79; (71) 239
Parathyroid hormone-related peptide, (69) R13
Parathyroid-related peptide mRNA, (69) R13
Parturition, (68) R7
Peptidase inhibitor, (71) 105
Peptide, (68) 113
Peptide hormone secretion, (72) C49
Peri-implantation, (69) 25
Peritubular cell, (69) 79
Peritubular myoid cell, (70) 73
Permeant molecule, (70) 273
Pertussis toxin, (69) 217; (73) 1
G_i-protein, pertussis toxin, (70) 247
Pharmacodynamics, (70) 185
1,10-Phenanthroline, (69) 51
Phenylethanolamine *N*-methyl transferase, (72) C53
Phorbol ester, (69) R7; (69) 207; (69) 245; (70) 21; (70) 155; (70) 247; (72) 81; (72) 121
Phorbol ester receptor, (69) 199
Phosphatidylinositol bisphosphate, (74) R1
Phosphatidylinositol-specific phospholipase C, (70) 119
Phosphoinositide, (68) 129; (72) 221
Phospholipase A_2, (69) C11; (70) 147
Phospholipase C, (68) 105; (69) 69; (72) 221; (72) 227
Phosphorylated variant, (71) 117
Phosphorylation, (74) 33
Photochemistry, (68) 195
Photoperiodism, (73) 165
Pituitary, (68) 77; (69) 135; (70) 99; (72) 95
Pituitary cell, (68) 85; (68) 95; (69) 33
Pituitary gland, (73) C63
Pituitary glycoprotein, (71) 253
Placenta, (74) 163
Placenta, human, (69) 59
Placental cell, (69) 145
Plasminogen activator, (70) 73
Plasminogen activator activity, (68) 143
Plasminogen activator inhibitor, (68) 1; (70) 73
Plasminogen activators, (68) 1
^{31}P nuclear magnetic resonance, (73) 179
Polyclonal antibody, (72) 63
Polymerase chain reaction, (70) 13
Polyphosphoinositide, (69) 69
Porcine thecal cell, (71) 33
Portal circulation, (72) C53
Potassium depolarization, (74) 185
Precursor, (71) 105
Pregnenolone, (72) 111
Procaine, (74) 185
Processing, (71) 105
Production, (70) 217
Progesterone, (68) 105; (69) 17; (70) 21
Progesterone modulation, (68) 85; (68) 95
Progesterone production, (69) 1
Progesterone receptor, (69) 207; (70) C29
Progestin, (68) 169; (73) 171
Progestin receptor, (68) 95
Prolactin, (68) 21; (70) 273; (71) 125; (71) 177; (72) R7; (72) 239
Prolactin, bovine, (71) 117
Prolactin gene expression, (69) R7
Prolactin, glycosylated, (71) 155
Prolactin-inducible protein, (73) 171
Prolactin-like protein-A, (74) 163
Prolactin, rat, (71) 41
Prolactin receptor, (71) R7
Proliferation, (69) 217
Promoter, (68) 121; (74) 75
Prostacyclin (PGI_2) binding site, (71) 133
Prostacyclin (PGI_2) synthase, (71) 133
Prostaglandin, (69) 25; (71) 177
Prostaglandin E_2, (73) 111
Prostaglandin $F_{2\alpha}$, estradiol, (70) 81

Prostate, (68) 169
Prostatic binding protein, (68) 169; (74) 203
Protease, (70) 73
Protease inhibitor, (71) 229
Protein folding, (74) C69
Protein kinase C, (69) 135; (69) 199; (70) 119; (70) 155; (70) 247; (72) 73; (72) 81; (73) 153
Protein phosphorylation, (69) 111; (69) 245
Protein synthesis, (74) 229
Protein translocation, (74) C69
Prothoracic gland, (74) 133; (74) 229
Prothoracicotropic hormone, (74) 229
Proton permeability, (68) 137
Proto-oncogene, c-*erbA*, (69) 129
Proto-oncogene product, (69) 111
Pupa, (70) 255
Purification, (70) 109

R5020, (73) 171
Radioimmunoassay, (68) R31
Radioreceptor assay, (71) 155
Rat hepatoma FTO-2B cell, (69) 167
Receptor, (68) 113; (69) 69; (70) 99; (72) 239; (74) 155; (74) 191
Receptor binding, (70) 263
Receptor dimerization, (74) C91
Receptor evolution, (73) 93
Receptor–hormone interaction, (72) 43
Recombinant insulin-like growth factor I, (74) 45
Recombinant renin, (73) 83
5α-Reductase, (68) R19; (74) R11
Regulation, (69) R7; (69) 187
Relaxin, (72) 55
Renin, (73) 83
Reproductive endocrinology, (72) R1
Reproductive system, female, (70) C29
Retinoic acid, (71) 27
Retrovirus, (70) 205
Rickets, (72) C57
mRNA, (68) 143; (70) 165; (71) 83; (71) 253; (72) 13; (72) 201; (74) 1
mRNA expression, (73) 135
RNA hybridization, (69) 101
mRNA induction, (71) R25
mRNA synthesis, (68) 67
Round spermatid protein, (73) 35
RU486, (73) 171

S_1 analysis, (68) 121
Second messenger, (68) 105; (72) 221
Secretion, (69) 145; (70) 273; (74) 185
Seminiferous tubule, (73) 45
Seminiferous tubules/stage of epithelial cycle, (70) 247
Sequence, (72) 167
Serine proteases, (68) 1
Serpins, (68) 1
Sertoli cell, (68) 45; (68) 61; (69) 79; (69) 121; (70) 73; (70) 109; (70) 217; (72) 13; (73) 35; (74) 125
Serum, (68) 187
SGP-2, (73) 35
Signal transduction, (72) 1
Skin fibroblast, (69) 187
Somatomedin C, (69) 79
Somatostatin receptor, (73) 1
Somatotropin, (73) 11
Soybean lectin, (71) R19
Species commonality, (72) C49
Staurosporine, (69) 135
Steroid, (71) 177
Steroid hormone action, (71) R25
Steroid hormone receptor, (74) C77
Steroid hydroxylases, (73) 73
Steroidogenesis, (69) 9; (69) C11; (70) 147; (71) 33; (72) R1; (72) R7; (74) 229
Steroidogenic enzyme, (68) R31; (70) C25
Steroid receptor, (69) 51; (71) R25; (74) C69
Sterol carrier protein 2, (69) 9
Subcellular fraction, (71) 229
Subunit, (68) 113
α-Subunit secreting tumor, (71) 93
Succinate, (73) 123
Sugar phosphates, (73) 179
Suramin, (72) 95
Swainsonine, (73) 217
Synergism, (68) 143
Synthesis, (69) 227

Tachykinin, (69) 69
Tamoxifen, (74) C91
T and B cell line, (73) 211
Target size, (72) 89
T47D, (74) C91
Testins, (73) 35
Testis, (70) 73; (70) 89; (70) 99; (70) 109; (70) 247; (71) 239; (72) 111; (73) 45
Testosterone, (69) 187; (70) 49; (72) 201
Testosterone propionate, (73) 165
2,3,7,8-Tetrachlorodibenzo-*p*-dioxin (TCDD), (69) 51; (72) 247
12-*O*-Tetradecanoylphorbol 13-acetate, (70) 247
Theca tissue, (69) 17
Thyroglobulin iodination, (71) 141
Thyroid, (68) R15
Thyroidal status, (69) 227
Thyroid cell, (68) R25
Thyroid cell culture, ultrastructure, (71) 217
Thyroid follicle, (71) 141
Thyroid hormone, (68) 61; (68) 137; (68) 163; (71) 185
Thyroid hormone receptor, (70) 13; (70) 175; (71) 83
Thyroid hormone response element, (72) 143
Thyroid hormone uptake, (69) 157
Thyroid, human, (71) 55
Thyroid, human cell, (73) 195
Thyroid-stimulating hormone, (71) 217
Thyroid-stimulating hormone receptor, (74) R1
Thyroperoxidase, (73) 195
Thyrotropin, (68) R25; (73) 195; (74) R1

Thyrotropin β-subunit, (71) 185
Thyrotropin, human, (73) 15
Thyrotropin receptor, (68) R15; (73) R13
Thyrotropin-releasing hormone, (70) 65; (74) 185
Thyrotropin subunit gene promoter, (71) 93
Thyroxine, (69) 157
Tissue-specific expression, (69) 93
Tissue-type plasminogen activator, (72) 103
Tolbutamide, (70) 119
Transcriptional control, (70) 73
Transcriptional start site, (70) 165
Transcription, in vitro, (69) 167
Transfection, (69) R7; (71) 93; (71) 105; (74) 45; (74) 101
Transferrin, (73) 35; (73) 187
Transforming growth factor-α, (69) R1
Transforming growth factor β_1, (70) 73
Transient expression, (71) 261
Transient transfection, (72) 143
Trichoplusia ni, (70) 255
Triiodothyronine, (69) 157; (73) 27; (73) 105
Triiodothyronine dose–response, (71) 261
Tubule, (68) C3
Tumor marker, (73) 171
Type-1 inhibitor of plasminogen activators, (72) 103
Tyrosinase, (72) 81
Tyrosine kinase, (70) 205

USF, (69) 167
Uterus, (72) 149

Vas deferens, (72) 201
Ventricular morphogenesis, (68) 163
Vitamin D-dependent rickets, type II, (70) 1
Vitamin D receptor, (72) C57
Vitellogenin B1 promoter, (69) 167
Voltage-sensitive calcium channel, (71) 205
Volume homeostasis, (68) R7

W-7, (71) 63

Zinc fingers, (69) 51
Zona fasciculata reticularis, (72) 227

Molecular and Cellular Endocrinology, 74 (1990) i9–i21
Elsevier Scientific Publishers Ireland, Ltd.

Author Index to Volumes 68–74 (1990)

Aakvaag, A., see Lahooti, H. (74) 21
Aakvaag, A., see Lahooti, H. (74) 33
Aarskog, D., see Trydal, T. (74) 191
Abayasekara, D.R.E., Band, A.M. and Cooke, B.A.
Evidence for the involvement of phospholipase A_2 in the regulation of luteinizing hormone-stimulated steroidogenesis in rat testis Leydig cells (70) 147
Abe, E., see Jin, C.H. (74) 221
Abou-Hashim, E.M., see Marzouk, H.F.A.I. (72) 95
Adams, T.E., Baker, L., Fiddes, R.J. and Brandon, M.R.
The sheep growth hormone receptor: molecular cloning and ontogeny of mRNA expression in the liver (73) 135
Adashi, E.Y., Resnick, C.E. and Jastorff, B.
Blockade of granulosa cell differentiation by an antagonistic analog of adenosine 3′,5′-cyclic monophosphate (cAMP): central but non-exclusive intermediary role of cAMP in follicle-stimulating hormone action (72) 1
Adashi, E.Y., Resnick, C.E., Hernandez, E.R., Hurwitz, A. and Rosenfeld, R.G.
Ovarian granulosa cell-derived insulin-like growth factor (IGF) binding proteins: release of low molecular weight, high-affinity IGF-selective species (74) 175
Adessi, G.L., see Jouvenot, M. (72) 149
Adler, G.K., Smas, C.M., Fiandaca, M., Frim, D.M. and Majzoub, J.A.
Regulated expression of the human corticotropin releasing hormone gene by cyclic AMP (70) 165
Ahlgren, R., see Simpson, E.R. (70) C25
Aksnes, L., see Trydal, T. (74) 191
Albiston, A.L., Lock, P., Burger, H.G. and Krozowski, Z.S.
Cloning and characterization of the rat α-inhibin gene (68) 121
Alcivar, A.A., see Kaipia, A. (73) 45
Alemany, J., Girbau, M., Bassas, L. and De Pablo, F.
Insulin receptors and insulin-like growth factor I receptors are functional during organogenesis of the lens (74) 155
Alila, H.W., see Dowd, J.P. (69) 199
Alkhalaf, M., see Jouvenot, M. (72) 149
Allaerts, W., Carmeliet, P. and Denef, C.
New perspectives in the function of pituitary folliculo-stellate cells (71) 73
Ambrose, D., see Bentley, J.D. (73) 179
Amit, T., Barkey, R.J., Bick, T., Hertz, P., Youdim, M.B.H. and Hochberg, Z.
Identification of growth hormone binding protein in rat serum (70) 197
Amit, T., Barkey, R.J., Bick, T., Hertz, P., Youdim, M.B.H. and Hochberg, Z.
Identification of growth hormone binding protein in rat serum (72) 139
Ammon, H.P.T., see Wahl, M.A. (71) 63
Andersson, S., see Mack, S.O. (74) R11
Andreasen, P., see Georg, B. (72) 103
Andreasen, P.A., Georg, B., Lund, L.R., Riccio, A. and Stacey, S.N.
Plasminogen activator inhibitors: hormonally regulated serpins (68) 1
Ann Word, R., see Sunnergren, K.P. (68) R7
Aphale, P., see Brooks, C.L. (71) 117
Applebaum, S.W., see Richard, D.S. (68) 153
Arabian, A., see Delvin, E.E. (71) 177
Armstrong, D.T., see Morley, P. (71) 33
Astroff, B., Rowlands, C., Dickerson, R. and Safe, S.
2,3,7,8-Tetrachlorodibenzo-*p*-dioxin inhibition of 17β-estradiol-induced increases in rat uterine epidermal growth factor receptor binding activity and gene expression (72) 247
Avallet, O., see Naville, D. (70) 217

Baarends, W.M., Themmen, A.P.N., Blok, L.J., Mackenbach, P., Brinkmann, A.O., Meijer, D., Faber, P.W., Trapman, J. and Grootegoed, J.A.
The rat androgen receptor gene promoter (74) 75
Bahl, O.P., see Shen, Q.-X. (72) 167
Bahl, O.P., see Thotakura, N.R. (70) 263
Baker, L., see Adams, T.E. (73) 135
Ban, E., Crumeyrolle-Arias, M., Latouche, J., Leblanc, P., Heurtier, J.F., Drieu, K., Fillion, G. and Haour, F.
GnRH receptors in rat brain, pituitary and testis; modulation following surgical and gonadotropin-releasing hormone agonist-induced castration (70) 99
Bancroft, C., see Jackson, A.E. (69) R7
Band, A.M., see Abayasekara, D.R.E. (70) 147
Bandyopadhyay, S.K., see Jackson, A.E. (69) R7
Bar, A., Shani, M., Fullmer, C.S., Brindak, M.E. and Striem, S.
Modulation of chick intestinal and renal calbindin gene expression by dietary vitamin D_3, 1,25-dihydroxyvitamin D_3, calcium and phosphorus (72) 23
Barkey, R.J., see Amit, T. (70) 197
Barkey, R.J., see Amit, T. (72) 139
Barlow, J.W., Raggatt, L.E., Drinkwater, C.C. and Richards, R.I.
Thyroid hormone receptors from IM-9 cells but not HeLa cells bind to promoters of triiodothyronine-responsive genes (69) 129

Barreca, A., see Palmero, S. (68) 61
Bassas, L., see Alemany, J. (74) 155
Baumann, G., see McCarter, J. (73) 11
Bayard, F., see Toulas, C. (72) 89
Bazer, F.W., see Young, K.H. (71) 155
Beauregard, G., see Toulas, C. (72) 89
Belayew, A., see Morin, A. (71) 261
Bélisle, S., see Lehoux, J.-G. (69) 41
Bellabarba, D., see Lehoux, J.-G. (69) 41
Bellet, D., see Salesse, R. (68) 113
Belsham, D., see Pereira, F. (68) 195
Benhaim, A., Bonnamy, P.J., Mittre, H. and Leymarie, P.
Involvement of the phospholipase C second messenger system in the regulation of steroidogenesis in small bovine luteal cells (68) 105
Benkirane, M., see Papandreou, M.-J. (73) 15
Bentley, J.D., Jentoft, J.E., Foreman, D. and Ambrose, D.
^{31}P nuclear magnetic resonance (NMR) identification of sugar phosphates in isolated rat ovarian follicular granulosa cells and the effects of follicle-stimulating hormone (73) 179
Bergamini, E., see Masini, M. (73) 27
Berger, M., see Martinez, A. (72) 201
Berka, J.L.A., see Campbell, D.J. (73) 83
Berkovitz, G.D., Carter, K.M., Brown, T.R. and Migeon, C.J.
Testosterone lowers aromatase activity in cultured human genital skin fibroblasts (69) 187
Bernard, M.P., Myers, R.V. and Moyle, W.R.
Cloning of rat lutropin (LH) receptor analogs lacking the soybean lectin domain (71) R19
Berthois, Y., Dong, X.-F., Roux-Dossetto, M. and Martin, P.-M.
Expression of estrogen receptor and its messenger ribonucleic acid in the MCF-7 cell line: multiparametric analysis of its processing and regulation by estrogen (74) 11
Bertrand, P., see Musset, F. (73) 1
Best, L., see Trebilcock, R. (71) 21
Bhalla, V.K., see Browne, E.S. (70) 49
Bhattacharya, A., Shepard, A.R., Moser, D.R. and Holland, L.J.
Isolation and characterization of cDNA clones for the γ subunit of *Xenopus* fibrinogen, the product of a coordinately regulated gene family (72) 213
Bick, T., see Amit, T. (70) 197
Bick, T., see Amit, T. (72) 139
Bidart, J.-M., see Salesse, R. (68) 113
Billig, H., see Carlsson, B. (73) R1
Bird, I.M., see Walker, S.W. (72) 227
Bishop, J.E., see Koeffler, H.P. (70) 1
Blok, L.J., see Baarends, W.M. (74) 75
Blotner, M., Shangold, G.A., Lee, E.Y., Murphy, S.N. and Miller, R.J.
Nitrendipine and Ω-conotoxin modulate gonadotropin release and gonadotrope $[Ca^{2+}]_i$ (71) 205
Bodine, P.V. and Litwack, G.
Modulator: the missing link (74) C77
Boland, R., see Drittanti, L. (74) 143
Böni-Schnetzler, M., see Lauber, M. (72) 159
Bonnamy, P.J., see Benhaim, A. (68) 105
Boockfor, F.R. and Schwarz, L.K.
Fibroblast growth factor modulates the release of transferrin from cultured Sertoli cells (73) 187
Bordin, S., see Boschero, A.C. (73) 63
Boschero, A.C., Bordin, S., Sener, A. and Malaisse, W.J.
D-Glucose and L-leucine metabolism in neonatal and adult cultured rat pancreatic islets (73) 63
Boublik, J.H.
Central and peripheral significance of neuropeptide Y and its related peptides. Meeting highlights from the New York Academy of Sciences Conference, April 2–4 1990, Baltimore, MD, U.S.A. (71) C45
Bovenberg, W.A., Dauwerse, J.G., Pospiech, H.M., Van Buul-Offers, S.C., Van den Brande, J.L. and Sussenbach, J.S.
Expression of recombinant human insulin-like growth factor I in mammalian cells (74) 45
Bramley, T.A., Menzies, G.S. and Jowett, T.
Specific binding sites for ^{125}I-labelled human luteinizing hormone (hLH) in microsomal fractions from *Drosophila* (73) 93
Brandon, M.R., see Adams, T.E. (73) 135
Brar, A.K., Coleman, T.A., Kopchick, J.J. and Frohman, L.A.
Expression of a cytomegalovirus-human growth hormone-releasing hormone precursor fusion gene in transfected GH_3 cells (71) 105
Brasier, A.R., see Ron, D. (74) C97
Breton, M.F., Haye, B., Denef, J.F. and Pavlovic-Hournac, M.
Changes in cAMP-dependent and Ca^{2+}-phospholipid-dependent protein kinase activities in suspension cultures of porcine thyroid cells (71) 217
Brindak, M.E., see Bar, A. (72) 23
Brinkmann, A.O., see Baarends, W.M. (74) 75
Brooks, C.L., Kim, B.G., Aphale, P., Kleeman, B.E. and Johnson, G.C.
Phosphorylated variant of bovine prolactin (71) 117
Brown, A.S., see Papadopoulos, V. (74) 109
Brown, T.R., see Berkovitz, G.D. (69) 187
Browne, E.S., Flasch, M.V., Sohal, G.S. and Bhalla, V.K.
Gonadotropin receptor occupancy and stimulation of cAMP and testosterone production by purified Leydig cells: critical dependence on cell concentration (70) 49
Brunette, M.G., Lajeunesse, D., Leclerc, M. and Lafond, J.
Effect of insulin on D-glucose transport by human placental brush border membranes (69) 59
Budnik, L.T. and Mukhopadhyay, A.K.
Phorbol ester- and luteinizing hormone-induced phosphorylation of membrane proteins in bovine luteal cells (69) 245
Buhi, W.C., see Young, K.H. (71) 155
Burger, H.G., see Albiston, A.L. (68) 121
Burger, H.G., see Wang, Q.F. (72) 33
Burton, P.B.J., Moniz, C., Quirke, P., Tzannatos, C., Pickles, A., Dixit, M., Triffit, J.T., Jüeppner, H., Segre, G.V. and Knight, D.E.
Parathyroid hormone-related peptide in the human fetal uro-genital tract (69) R13
Butlen, D., see Semmekrot, B. (68) 35

Cabello, M.A., Sánchez-Arias, J.A., Liras, A., Mato, J.M. and Felíu, J.E.
Effect of adrenalectomy and glucocorticoid treatment on the levels of an insulin-sensitive glycosyl-phosphatidylinositol in isolated rat hepatocytes (68) R1
Cailleau, J., Vermeire, S. and Verhoeven, G.
Independent control of the production of insulin-like growth factor I and its binding protein by cultured testicular cells (69) 79
Cailleau, J., see Verhoeven, G. (71) 239
Calaresu, F.R., see Morley, P. (71) 33
Calkins, J.H., see Lin, T. (73) 147
Campbell, D.J., Valentijn, A.J. and Berka, J.L.A.
Production of rat renin fusion protein in *Escherichia coli* and the preparation of renin-specific antisera (73) 83
Canny, B.J.
Hippocampal glucocorticoid receptors and the regulation of ACTH secretion (71) C35
Carlsson, B., Billig, H., Rymo, L. and Isaksson, O.G.P.
Expression of the growth hormone-binding protein messenger RNA in the liver and extrahepatic tissues in the rat: co-expression with the growth hormone receptor (73) R1
Carlsson, B., see Nilsson, A. (70) 237
Carmeliet, P., see Allaerts, W. (71) 73
Carpén, O., see Jäättelä, M. (68) R31
Carter, K.M., see Berkovitz, G.D. (69) 187
Casteilla, L., see Klaus, S. (73) 105
Cattini, P.A., see Nickel, B.E. (69) 93
Celis, L., see Claessens, F. (74) 203
Chabardès, D., Montégut, M., Zhou, Y. and Siaume-Perez, S.
Two mechanisms of inhibition by prostaglandin E_2 of hormone-dependent cell cAMP in the rat collecting tubule (73) 111
Chakraborty, C., see Paria, B.C. (69) 25
Chatelain, P.G., see Naville, D. (70) 217
Chazenbalk, G.D., Wadsworth, H.L. and Rapoport, B.
Thyrotropin-induced expression of a gene for a ribosomal protein related to the trk oncogene (68) R25
Chegini, N., Lei, Z.M. and Rao, C.V.
Cellular distribution of prostacyclin synthase and specific prostacyclin binding sites in bovine corpora lutea of pregnancy (71) 133
Cheng, B., Horst, I.A., Mader, S.L. and Kowal, J.
Diminished adrenal steroidogenic activity in aging rats: new evidence from adrenal cells cultured from young and aged normal and hypoxic animals (73) R7
Chi, R., see Lin, T. (73) 147
Chouinard, M.L. and Fevold, H.R.
ACTH-induced increases in rabbit adrenal immunoreactive *P*-$450_{17\alpha}$ and *P*-450_{21} (68) 29
Claessens, F., Rushmere, N.K., Davies, P., Celis, L., Peeters, B. and Rombauts, W.A.
Sequence-specific binding of androgen-receptor complexes to prostatic binding protein genes (74) 203
Clark, J., see Lesueur, L. (71) R7
Clarke, C.L.
Cell-specific regulation of progesterone receptor in the female reproductive system (70) C29
Clinton, G.M., see Lin, Y.J. (69) 111
Clot, J.-P., Janicot, M., Fouque, F., Desbuquois, B., Haumont, P.-Y. and Lederer, F.
Characterization of insulin degradation products generated in liver endosomes: in vivo and in vitro studies (72) 175
Coleman, T.A., see Brar, A.K. (71) 105
Colin, I., see Spinel-Gomez, C. (71) 141
Collier, R.J., see Hauser, S.D. (72) 187
Cook, C.B. and Koenig, R.J.
Expression of erbAα and β mRNAs in regions of adult rat brain (70) 13
Cooke, B.A.
Is cyclic AMP an obligatory second messenger for luteinizing hormone? (69) C11
Cooke, B.A., see Abayasekara, D.R.E. (70) 147
Cornett, L.E., see McGehee, Jr., R.E. (74) 1
Cortizo, A.M., Paladini, A., Díaz, G.B., García, M.E. and Gagliardino, J.J.
Changes induced by glucose in the plasma membrane properties of pancreatic islets (71) 49
Couët, J., see Martel, C. (72) R7
Counis, R., see Quérat, B. (71) 253
Cozza, E.N., Del C. Vila, M. and Gomez-Sanchez, C.E.
ET-1 receptors in C-6 cells: homologous down-regulation and modulation by protein kinase C (70) 155
Crumeyrolle-Arias, M., see Ban, E. (70) 99
Culler, M.D. and Negro-Vilar, A.
Destruction of testicular Leydig cells reveals a role of endogenous inhibin in regulating follicle-stimulating hormone secretion in the adult male rat (70) 89

Dan-Cohen, H. and Naor, Z.
Mechanism of action of gonadotropin releasing hormone upon gonadotropin secretion: involvement of protein kinase C as revealed by staurosporine inhibition and enzyme depletion (69) 135
Dani, C., see Klaus, S. (73) 105
Dauvois, S., Simard, J., Dumont, M., Haagensen, D.E. and Labrie, F.
Opposite effects of estrogen and the progestin R5020 on cell proliferation and GCDFP-15 expression in ZR-75-1 human breast cancer cells (73) 171
Dauwerse, J.G., see Bovenberg, W.A. (74) 45
Davies, P., see Claessens, F. (74) 203
Davis, J., see Young, K.H. (71) 155
Day, K.H., see Kim, K.E. (74) 101
Deal, R.M., see Denison, M.S. (69) 51
Deb, S. and Soares, M.J.
Characterization of placental prolactin-like protein-A in intracellular and extracellular compartments (74) 163
De Boland, A.R., see Drittanti, L. (74) 143
DeGroot, L.J., see Nakai, A. (72) 143
DeGroot, L.J., see Sakurai, A. (71) 83
De Jong, F.H., see Grootenhuis, A.J. (74) 125
De Jong, F.H., see Grootenhuis, A.J. (70) 109
De Jong, F.H., see Klaij, I.A. (68) 45
De Jong, F.H., see Marzouk, H.F.A.I. (72) 95
Dekel, N., see Goren, S. (72) 131

De Kretser, D.M.
Inhibin (69) C17
Delassus, F., see Toulas, C. (72) 89
Del C. Vila, M., see Cozza, E.N. (70) 155
Del Roso, A., see Masini, M. (73) 27
Delvin, E.E., Gagnon, L., Arabian, A. and Gibb, W.
Influence of calcitriol on prolactin and prostaglandin production by human decidua (71) 177
Denef, C., see Allaerts, W. (71) 73
Denef, J.-F., see Spinel-Gomez, C. (71) 141
Denef, J.F., see Breton, M.F. (71) 217
Den Holder, F.H., see Marzouk, H.F.A.I. (72) 95
Denison, M.S. and Deal, R.M.
The binding of transformed aromatic hydrocarbon (Ah) receptor to its DNA recognition site is not affected by metal depletion (69) 51
De Pablo, F., see Alemany, J. (74) 155
Desbuquois, B., see Clot, J.-P. (72) 175
De Tata, V., see Masini, M. (73) 27
Dey, S.K., see Paria, B.C. (69) 25
Díaz, G.B., see Cortizo, A.M. (71) 49
Dickerson, R., see Astroff, B. (72) 247
Dighe, R.R., Murthy, G.S., Kurkalli, B.S. and Moudgal, N.R.
Conformation of the α-subunit of glycoprotein hormones: a study using polyclonal and monoclonal antibodies (72) 63
Dixit, M., see Burton, P.B.J. (69) R13
Djakiew, D., see Onoda, M. (73) 35
Djiane, J., see Lesueur, L. (71) R7
Dong, X.-F., see Berthois, Y. (74) 11
Dorrington, J.H., see Teerds, K.J. (69) R1
Dowd, J.P., Alila, H.W. and Hansel, W.
Phorbol ester receptors in bovine luteal cells: relationship to protein kinase C (69) 199
Drieu, K., see Ban, E. (70) 99
Drinkwater, C.C., see Barlow, J.W. (69) 129
Drittanti, L., De Boland, A.R. and Boland, R.
Stimulation of calmodulin synthesis in proliferating myoblasts by 1,25-dihydroxy-vitamin D_3 (74) 143
Duerksen, K., see Pereira, F. (68) 195
Dumont, J.E., see Lamy, F. (73) 195
Dumont, J.E., see Libert, F. (68) R15
Dumont, J.E., see Ludgate, M. (73) R13
Dumont, J.E., see Van Sande, J. (74) R1
Dumont, M., see Dauvois, S. (73) 171
Dunn, A., see Nolan, E.M. (69) 101
Dunn, W.D., see Natarajan, R. (72) 73
Dupont, E., Luu-The, V., Labrie, F. and Pelletier, G.
Ontogeny of 3β-hydroxysteroid dehydrogenase/Δ^5-Δ^4 isomerase (3β-HSD) in human adrenal gland performed by immunocytochemistry (74) R7
Dupont, E., see Martel, C. (72) R7

Ecklund, R.E., see Horrum, M.A. (68) 137
Edery, M., see Lesueur, L. (71) R7
El-Kannishy, M.H., see Marzouk, H.F.A.I. (72) 95
Enjalbert, A., see Musset, F. (73) 1

Faber, P.W., see Baarends, W.M. (74) 75
Fang, V., see Nakai, A. (72) 143
Farnsworth, D.E., see Pratt, G.E. (70) 185
Farnworth, P.G., see Wang, Q.F. (72) 33
Faye, J.-C., see Toulas, C. (72) 89
Feldman, D. and Malloy, P.J.
Hereditary 1,25-dihydroxyvitamin D resistant rickets: molecular basis and implications for the role of 1,25-$(OH)_2D_3$ in normal physiology (72) C57
Feliu, J.E., see Cabello, M.A. (68) R1
Félix, J.M., see Hindelang, C. (70) 225
Fevold, H.R., see Chouinard, M.L. (68) 29
Feyereisen, R., see Pratt, G.E. (70) 185
Fiandaca, M., see Adler, G.K. (70) 165
Fiddes, R.J., see Adams, T.E. (73) 135
Fillion, G., see Ban, E. (70) 99
Findlay, J.K., see Shukovski, L. (69) 17
Findlay, J.K., see Wang, Q.F. (72) 33
Findlay, J.K., see Xiao, S. (69) 1
Flasch, M.V., see Browne, E.S. (70) 49
Fontaine, Y.A., see Quérat, B. (71) 253
Foreman, D., see Bentley, J.D. (73) 179
Fortune, J.E., see Shukovski, L. (69) 17
Fouque, F., see Clot, J.-P. (72) 175
Fowler, P.D., Tacker, M., Whitley, G.S.J., Meager, A., Nussey, S.S. and Johnstone, A.P.
Expression of intercellular adhesion molecule-1 (ICAM-1) on human thyroid cell lines correlated with their binding of lymphoblasts (71) 55
Franc, J.-L., see Long, Y. (73) 217
French, M.B., Lussier, B.T., Moor, B.C. and Kraicer, J.
Effect of growth hormone-releasing factor on phosphoinositide hydrolysis in somatotrophs (72) 221
Frim, D.M., see Adler, G.K. (70) 165
Fritz, I.B., see Nargolwalla, C. (70) 73
Froesch, E.R., see Jaeggi-Groisman, S.E. (74) 69
Frohman, L.A., see Brar, A.K. (71) 105
Frost, S.C., see Pawlina, W. (72) 55
Fugassa, E., see Palmero, S. (68) 61
Fuller, B.B., Niekrasz, I. and Hoganson, G.E.
Down-regulation of tyrosinase mRNA levels in melanoma cells by tumor promoters and by insulin (72) 81
Fullerton, M.J., Stuchbury, S., Krozowski, Z.S. and Funder, J.W.
Altered thyroidal status and the in vivo synthesis of atrial natriuretic peptide in the rat heart (69) 227
Fullerton, M.J., see Rundle, S.E. (68) 163
Fullmer, C.S., see Bar, A. (72) 23
Funder, J.W.
11β-Hydroxysteroid dehydrogenase and The Meaning of Life (68) C3
Funder, J.W.
E pluribus unum (72) C49
Funder, J.W.
Physiology, pharmacology, toxicology and strength of materials (72) C53
Funder, J.W., see Fullerton, M.J. (69) 227

Funder, J.W., see Rundle, S.E. (68) 163
Furuta, S., see Ichikawa, K. (70) 175
Furuya, K., McArdle, C.A. and Ivell, R.
The regulation of oxytocin gene expression in early bovine luteal cells (70) 81

Gagliardino, J.J., see Cortizo, A.M. (71) 49
Gagnon, L., see Delvin, E.E. (71) 177
Gangnerau, M.N., see Rouiller, V. (72) 111
García, M.E., see Cortizo, A.M. (71) 49
Garnier, J., see Salesse, R. (68) 113
Georg, B., Riccio, A. and Andreasen, P.
Forskolin down-regulates type-1 plasminogen activator inhibitor and tissue-type plasminogen activator and their mRNAs in human fibrosarcoma cells (72) 103
Georg, B., see Andreasen, P.A. (68) 1
George, F.W., see Lephart, E.D. (70) 31
Georgiev, V.D., see Kancheva, L.S. (69) 121
Gérard, C., see Libert, F. (68) R15
Gerard, C., see Ludgate, M. (73) R13
Gérard, N., see Pineau, C. (72) 13
Gertler, A., see Shamay, A. (69) 217
Gibb, W., see Delvin, E.E. (71) 177
Gilbert, L.I., see Meller, V.H. (74) 133
Gilbert, L.I., see Richard, D.S. (68) 153
Giordano, G., see Palmero, S. (68) 61
Giraud, A., see Long, Y. (73) 217
Girbau, M., see Alemany, J. (74) 155
Goddard, C., see O'Neill, I.E. (70) 41
Gomez-Sanchez, C.E., see Cozza, E.N. (70) 155
Goncalves, E., Lakshmanan, M., Pontecorvi, A. and Robbins, J.
Thyroid hormone transport in a human glioma cell line (69) 157
Gordon, D.F., Wood, W.M., Ocran, K.W., Kao, M.Y., Sarapura, V.D. and Ridgway, E.C.
TSH subunit gene promoters from a murine α-subunit producing tumor function normally (71) 93
Goren, S., Oron, Y. and Dekel, N.
Rat oocyte maturation: role of calcium in hormone action (72) 131
Grauer, A., see Lazaretti-Castro, M. (71) R13
Greer, M.A., see Sato, N. (70) 273
Greer, M.A., see Wang, X. (74) 185
Greer, S.E., see Sato, N. (70) 273
Grootegoed, J.A., see Baarends, W.M. (74) 75
Grootegoed, J.A., see Klaij, I.A. (68) 45
Grootenhuis, A.J., Timmerman, M.A., Hordijk, P.L. and De Jong, F.H.
Inhibin in immature rat Sertoli cell conditioned medium: a 32 kDa $\alpha\beta$-B dimer (70) 109
Grootenhuis, A.J., Van Beurden, W.M.O., Timmerman, M.A. and De Jong, F.H.
Follicle-stimulating hormone-stimulated secretion of an immunoreactive 29 kDa inhibin α-subunit complex, but not of 32 kDa bioactive inhibin, from cultured immature rat Sertoli cells (74) 125
Grosvenor, C.E., see Ravindra, R. (71) 165
Guo, H., see Lin, T. (73) 147
Gurr, J.A., Januszeski, M.M., Tidikis, I.M., Norcross, J.J. and Kourides, I.A.
Thyroid hormone regulates expression of the thyrotropin β-subunit gene from both transcription start sites in the mouse and rat (71) 185
Gustafsson, J.-Å., see Haldosén, L.-A. (68) 187
Gustafsson, J.-Å., see Haldosén, L.-A. (71) 41

Haagensen, D.E., see Dauvois, S. (73) 171
Habener, J.F., see Ron, D. (74) C97
Habenicht, A.J.R., see Przylipiak, A. (69) 33
Haldosén, L.-A. and Gustafsson, J.-Å.
Binding and cross-linking of iodinated rat prolactin to rat hepatic prolactin receptor (71) 41
Haldosén, L.-A. and Gustafsson, J.-Å.
Detection of glycosylated growth hormone-binding proteins in rat serum (68) 187
Hall, L., see Walker, J.E. (74) 61
Hall, P.F., see Papadopoulos, V. (74) 109
Hamilton, D.W., see Walker, J.E. (74) 61
Hansel, W., see Dowd, J.P. (69) 199
Haour, F., see Ban, E. (70) 99
Hashizume, K., see Ichikawa, K. (70) 175
Hassinen, I.E., see Uusimaa, P.A. (73) 153
Haumont, P.-Y., see Clot, J.-P. (72) 175
Hauser, S.D., McGrath, M.F., Collier, R.J. and Krivi, G.G.
Cloning and in vivo expression of bovine growth hormone receptor mRNA (72) 187
Haye, B., see Breton, M.F. (71) 217
Hecht, N.B., see Kaipia, A. (73) 45
Hentz, E., see Klaus, S. (73) 105
Hernandez, E.R., see Adashi, E.Y. (74) 175
Hertz, P., see Amit, T. (70) 197
Hertz, P., see Amit, T. (72) 139
Heurtier, J.F., see Ban, E. (70) 99
Hindelang, C., Félix, J.M., Laurent, F.M., Klein, M.J. and Stoeckel, M.E.
Ontogenesis of proopiomelanocortin gene expression and regulation in the rat pituitary intermediate lobe (70) 225
Hochberg, Z., see Amit, T. (70) 197
Hochberg, Z., see Amit, T. (72) 139
Hofland, L.J., see Marzouk, H.F.A.I. (72) 95
Hoganson, G.E., see Fuller, B.B. (72) 81
Holland, L.J., see Bhattacharya, A. (72) 213
Hong, M.H., see Jin, C.H. (74) 221
Hordijk, P.L., see Grootenhuis, A.J. (70) 109
Horrum, M.A., Tobin, R.B. and Ecklund, R.E.
Thyroid hormone effects on the proton permeability of rat liver mitochondria (68) 137
Horseman, N., see Young, K.H. (71) 155
Horst, I.A., see Cheng, B. (73) R7
Houdebine, L.-M., see Malienou-Ngassa, R. (73) 53
Housley, P.R., see Lin, T. (73) 147
Houston, B., see O'Neill, I.E. (70) 41
Howard, P., see Kim, K.E. (74) 101
Hsueh, A.J.W., see Jia, X.-C. (68) 143
Huhtaniemi, I., see Nikula, H. (70) 247
Hurwitz, A., see Adashi, E.Y. (74) 175

Ichikawa, K., Hashizume, K., Furuta, S., Osumi, T., Miyamoto, T., Yamauchi, K., Takeda, T. and Yamada, T.
Human c-*erb A* protein expressed in *Escherichia coli*: changes in hydrophobicity upon thyroid hormone binding (70) 175
Isaksson, O.G.P., see Carlsson, B. (73) R1
Isaksson, O.G.P., see Nilsson, A. (70) 237
Ishiguro, M., see Takeuchi, Y. (69) 145
Ishimi, Y., see Jin, C.H. (74) 221
Isola, J.J.
Distribution of estrogen and progesterone receptors and steroid-regulated gene products in the chick oviduct (69) 235
Ivell, R., see Furuya, K. (70) 81

Jäättelä, M., Carpén, O., Stenman, U.-H. and Saksela, E.
Regulation of ACTH-induced steroidogenesis in human fetal adrenals by rTNF-α (68) R31
Jackson, A.E., Bandyopadhyay, S.K. and Bancroft, C.
Epidermal growth factor and phorbol ester regulate prolactin gene expression via distinct pathways (69) R7
Jacob, B.G., see Richter, W.O. (71) 229
Jaeggi-Groisman, S.E., Keller, S., Zimmerli, B., Meier, P.J. and Froesch, E.R.
Polar surface distribution of type II insulin-like growth factor receptor in rat hepatocytes (74) 69
Janicot, M., see Clot, J.-P. (72) 175
Januszeski, M.M., see Gurr, J.A. (71) 185
Jarvis, W.D., see Kuan, S.I. (72) 239
Jastorff, B., see Adashi, E.Y. (72) 1
Jean, C., see Martinez, A. (72) 201
Jefcoate, C.R., see McNamara, B.C. (73) 123
Jégou, B., see Pineau, C. (72) 13
Jentoft, J.E., see Bentley, J.D. (73) 179
Jia, X.-C., Ny, T. and Hsueh, A.J.W.
Synergistic effect of glucocorticoids and androgens on the hormonal induction of tissue plasminogen activator activity and messenger ribonucleic acid levels in granulosa cells (68) 143
Jin, C.H., Miyaura, C., Ishimi, Y., Hong, M.H., Sato, T., Abe, E. and Suda, T.
Interleukin 1 regulates the expression of osteopontin mRNA by osteoblasts (74) 221
Johnson, G.C., see Brooks, C.L. (71) 117
Johnstone, A.P., see Fowler, P.D. (71) 55
Jones, G., see Wozniak, M. (70) 255
Jones, R., see Walker, J.E. (74) 61
Jordan, V.C.
"The only true anti-estrogen is no estrogen" (74) C91
Jouvenot, M., Pellerin, I., Alkhalaf, M., Marechal, G., Royez, M. and Adessi, G.L.
Effects of 17β-estradiol and growth factors on c-*fos* gene expression in endometrial epithelial cells in primary culture (72) 149
Jowett, T., see Bramley, T.A. (73) 93
Judd, A.M., see Kuan, S.I. (72) 239
Jüeppner, H., see Burton, P.B.J. (69) R13
Jutisz, M., see Quérat, B. (71) 253

Kaipia, A., Toppari, J., Mali, P., Kangasniemi, M., Alcivar, A.A., Hecht, N.B. and Parvinen, M.
Stage- and cell-specific expression of the ornithine decarboxylase gene during rat and mouse spermatogenesis (73) 45
Kaling, M., Weimar-Ehl, T., Kleinhans, M. and Ryffel, G.U.
Transcription factors different from the estrogen receptor stimulate in vitro transcription from promoters containing estrogen response elements (69) 167
Kamel, F., see Krey, L.C. (68) 85
Kamel, F., see Krey, L.C. (68) 95
Kamel, F., see Krey, L.C. (70) 21
Kancheva, L.S., Martinova, Y.S. and Georgiev, V.D.
Prepubertal rat Sertoli cells secrete a mitogenic factor(s) that stimulates germ and somatic cell proliferation (69) 121
Kangasniemi, M., see Kaipia, A. (73) 45
Kao, M.Y., see Gordon, D.F. (71) 93
Katayama, T., Shiota, K. and Takahashi, M.
Activin A increases the number of follicle-stimulating hormone cells in anterior pituitary cultures (69) 179
Kato, R., see Sasamura, H. (68) 53
Kaufman, M., see Pereira, F. (68) 195
Keightley, D.A., Lou, K.J. and Smith, W.A.
Involvement of translation and transcription in insect steroidogenesis (74) 229
Keller, S., see Jaeggi-Groisman, S.E. (74) 69
Kelly, P.A., see Lesueur, L. (71) R7
Kiesel, L., see Przylipiak, A. (69) 33
Kilgore, M.W., Rommerts, F.F.G., Wirtz, K.W.A. and Stocco, D.M.
Regulation of steroidogenesis in subclones of the MA-10 mouse Leydig tumor cell line (69) 9
Kim, B.G., see Brooks, C.L. (71) 117
Kim, K.E., Day, K.H., Howard, P., Salton, S.R.J., Roberts, J.L. and Maurer, R.A.
DNA sequences required for expression of the LHβ promoter in primary cultures of rat pituitary cells (74) 101
Klaij, I.A., Toebosch, A.M.W., Themmen, A.P.N., Shimasaki, S., De Jong, F.H. and Grootegoed, J.A.
Regulation of inhibin α- and β_B-subunit mRNA levels in rat Sertoli cells (68) 45
Klassen, M.E., see Nickel, B.E. (69) 93
Klaus, S., Casteilla, L., Hentz, E., Dani, C. and Ricquier, D.
The mRNA of protein disulfide isomerase and its homologue the thyroid hormone binding protein is strongly expressed in adipose tissue (73) 105
Kleeman, B.E., see Brooks, C.L. (71) 117
Klein, M.J., see Hindelang, C. (70) 225
Kleinhans, M., see Kaling, M. (69) 167
Knight, D.E., see Burton, P.B.J. (69) R13
Koeffler, H.P., Bishop, J.E., Reichel, H., Singer, F., Nagler, A., Tobler, A., Walka, M. and Norman, A.W.
Lymphocyte cell lines from vitamin D-dependent rickets type II show functional defects in the 1α,25-dihydroxyvitamin D_3 receptor (70) 1
Koenig, R.J., see Cook, C.B. (70) 13
Koistinaho, J., Roivainen, R. and Yang, G.
Circadian rhythm in c-*fos* protein expression in the rat adrenal cortex (71) R1

Kopchick, J.J., see Brar, A.K. (71) 105
Kordon, C., see Musset, F. (73) 1
Kosar, E., see Vanecek, J. (73) 165
Kourides, I.A., see Gurr, J.A. (71) 185
Kowal, J., see Cheng, B. (73) R7
Kraeling, R., see Young, K.H. (71) 155
Kraicer, J., see French, M.B. (72) 221
Kramer, R.E.
Evidence that angiotensin II decreases mitochondrial calcium in the glomerulosa cell (74) 87
Krey, L.C. and Kamel, F.
Progesterone modulation of gonadotropin secretion by dispersed rat pituitary cells in culture. I. Basal and gonadotropin-releasing hormone-stimulated luteinizing hormone release (68) 85
Krey, L.C. and Kamel, F.
Progesterone modulation of gonadotropin secretion by dispersed rat pituitary cells in culture. III. A23187, cAMP, phorbol ester and DiC8-stimulated luteinizing hormone release (70) 21
Krey, L.C., Kamel, F. and MacLusky, N.J.
Progesterone modulation of gonadotropin secretion by dispersed rat pituitary cells in culture. II. Intracellular metabolism and progestin receptors (68) 95
Krivi, G.G., see Hauser, S.D. (72) 187
Krozowski, Z.S., see Albiston, A.L. (68) 121
Krozowski, Z.S., see Fullerton, M.J. (69) 227
Kuan, S.I., Judd, A.M., Jarvis, W.D., Login, I.S. and MacLeod, R.M.
Physiological and biochemical effects of bradykinin and *lys*-bradykinin in pituitary cells (72) 239
Kurkalli, B.S., see Dighe, R.R. (72) 63

Labrie, C., Simard, J., Zhao, H.-F., Pelletier, G. and Labrie, F.
Synthetic progestins stimulate prostatic binding protein messenger RNAs in the rat ventral prostate (68) 169
Labrie, C., see Martel, C. (72) R7
Labrie, F., see Dauvois, S. (73) 171
Labrie, F., see Dupont, E. (74) R7
Labrie, F., see Labrie, C. (68) 169
Labrie, F., see Martel, C. (72) R7
Lafond, J., see Brunette, M.G. (69) 59
Lahooti, H., Thorsen, T. and Aakvaag, A.
Estradiol increases phosphorylation of the 90 kDa heat shock protein not associated with estradiol receptor in MCF-7 cells in culture (74) 33
Lahooti, H., Thorsen, T. and Aakvaag, A.
Phosphorylation of the estradiol receptor in MCF-7 human breast cancer cells in culture (74) 21
Lajeunesse, D., see Brunette, M.G. (69) 59
Lakshmanan, M., see Goncalves, E. (69) 157
Lamberts, S.W.J., see Marzouk, H.F.A.I. (72) 95
Lamy, F., Taton, M., Dumont, J.E. and Roger, P.P.
Control of protein synthesis by thyrotropin and epidermal growth factor in human thyrocytes: role of morphological changes (73) 195
Larkin, L.H., see Pawlina, W. (72) 55
Larsen, P.J., see Mau, S.E. (69) 69
Latouche, J., see Ban, E. (70) 99
Lauber, M., Böni-Schnetzler, M. and Müller, J.
Potassium raises cytochrome *P*-450$_{11\beta}$ mRNA level in zona glomerulosa of rat adrenals (72) 159
Laurent, F.M., see Hindelang, C. (70) 225
Lazaretti-Castro, M., Grauer, A., Raue, F. and Ziegler, R.
1,25-Dihydroxyvitamin D_3 suppresses dexamethasone effects on calcitonin secretion (71) R13
Leblanc, P., see Ban, E. (70) 99
Leclerc, M., see Brunette, M.G. (69) 59
Lederer, F., see Clot, J.-P. (72) 175
Lee, E.Y., see Blotner, M. (71) 205
Lefebvre, A., see Lehoux, J.-G. (69) 41
Lefort, A., see Libert, F. (68) R15
Le Gac, F., see Pakdel, F. (71) 195
Le Goff, P., see Pakdel, F. (71) 195
Lehoux, J.-G., Lefebvre, A., Bélisle, S. and Bellabarba, D.
Effect of ACTH suppression on adrenal 3-hydroxy-3-methylglutaryl coenzyme A reductase mRNA in 4-aminopyrazolopyrimidine-treated rats (69) 41
Lei, Z.M., see Chegini, N. (71) 133
Lejeune, C., see Van Sande, J. (74) R1
Lephart, E.D., Peterson, K.G., Noble, J.F., George, F.W. and McPhaul, M.J.
The structure of cDNA clones encoding the aromatase *P*-450 isolated from a rat Leydig cell tumor line demonstrates differential processing of aromatase mRNA in rat ovary and a neoplastic cell line (70) 31
Leppäluoto, J., see Uusimaa, P.A. (73) 153
Lesueur, L., Edery, M., Paly, J., Clark, J., Kelly, P.A. and Djiane, J.
Prolactin stimulates milk protein promoter in CHO cells cotransfected with prolactin receptor cDNA (71) R7
Leymarie, P., see Benhaim, A. (68) 105
Li, S., see Lin, Y.J. (69) 111
Libert, F., Parmentier, M., Maenhaut, C., Lefort, A., Gérard, C., Perret, J., Van Sande, J., Dumont, J.E. and Vassart, G.
Molecular cloning of a dog thyrotropin (TSH) receptor variant (68) R15
Libert, F., see Ludgate, M. (73) R13
Lightly, E.R.T., see Walker, S.W. (72) 227
Lillehaug, J.R., see Trydal, T. (74) 191
Lin, T., Wang, D., Calkins, J.H., Guo, H., Chi, R. and Housley, P.R.
Regulation of insulin-like growth factor-I messenger ribonucleic acid expression in Leydig cells (73) 147
Lin, Y.J., Li, S. and Clinton, G.M.
Insulin and epidermal growth factor stimulate phosphorylation of p185^{HER-2} in the breast carcinoma cell line, BT474 (69) 111
Linette Casey, M., see Sunnergren, K.P. (68) R7
Linzer, D., see Young, K.H. (71) 155
Liras, A., see Cabello, M.A. (68) R1
Litwack, G., see Bodine, P.V. (74) C77
Lock, P., see Albiston, A.L. (68) 121
Login, I.S., see Kuan, S.I. (72) 239
Long, Y., Franc, J.-L. and Giraud, A.
Inhibition of *N*-glycan processing affects iodide organification in porcine thyroid cells (73) 217

Lorence, M.C., see Mack, S.O. (74) R11
Lou, K.J., see Keightley, D.A. (74) 229
Louette, J., see Morin, A. (71) 261
Ludgate, M., Perret, J., Parmentier, M., Gerard, C., Libert, F., Dumont, J.E. and Vassart, G.
Use of the recombinant human thyrotropin receptor (TSH-R) expressed in mammalian cell lines to assay TSH-R autoantibodies (73) R13
Lund, J., see Simpson, E.R. (70) C25
Lund, L.R., see Andreasen, P.A. (68) 1
Luo, J. and Murphy, L.J.
Regulation of insulin-like growth factor binding protein-3 expression by dexamethasone (74) 213
Lussier, B.T., see French, M.B. (72) 221
Luu-The, V., see Dupont, E. (74) R7
Luu-The, V., see Martel, C. (72) R7
Lynch, A., see Trebilcock, R. (71) 21

Macchia, E., see Nakai, A. (72) 143
MacDonald, P.C., see Sunnergren, K.P. (68) R7
Mack, S.O., Lorence, M.C., Andersson, S. and Mason, J.I.
Expression of cytochrome $P\text{-}450_{17\alpha}$, 3β-hydroxysteroid dehydrogenase/$\Delta^{5\rightarrow4}$-isomerase, and steroid 5α-reductase in rat H540 Leydig tumor cells (74) R11
Mackenbach, P., see Baarends, W.M. (74) 75
MacLeod, R.M., see Kuan, S.I. (72) 239
MacLusky, N.J., see Krey, L.C. (68) 95
Mader, S.L., see Cheng, B. (73) R7
Maenhaut, C., see Libert, F. (68) R15
Maenhaut, C., see Van Sande, J. (74) R1
Majzoub, J.A., see Adler, G.K. (70) 165
Malaisse, W.J., see Boschero, A.C. (73) 63
Mali, P., see Kaipia, A. (73) 45
Malienou-Ngassa, R., Puissant, C. and Houdebine, L.-M.
Osmotic shock of cultured primary mammary cells amplifies the hormonal induction of casein gene expression (73) 53
Malloy, P.J., see Feldman, D. (72) C57
Marcelli, M., see Tilley, W.D. (68) C7
Marechal, G., see Jouvenot, M. (72) 149
Martel, C., Labrie, C., Couët, J., Dupont, E., Trudel, C., Luu-The, V., Takahashi, M., Pelletier, G. and Labrie, F.
Effects of human chorionic gonadotropin (hCG) and prolactin (PRL) on 3β-hydroxy-5-ene-steroid dehydrogenase/Δ^5-Δ^4 isomerase (3β-HSD) expression and activity in the rat ovary (72) R7
Martial, J.A., see Morin, A. (71) 261
Martin, C.A., Ziegler, L.M. and Napoli, J.L.
Enhanced expression of c-*fos* is not obligatory for retinoic acid-induced F9 cell differentiation (71) 27
Martin, P.-M., see Berthois, Y. (74) 11
Martinez, A., Pailhoux, E., Berger, M. and Jean, C.
Androgen regulation of the mRNA encoding a major protein of the mouse vas deferens (72) 201
Martinova, Y.S., see Kancheva, L.S. (69) 121
Marzouk, H.F.A.I., Hofland, L.J., Den Holder, F.H., Van Koetsveld, P.M., Steenbergen, J., Zuiderwijk, J., Abou-Hashim, E.M., El-Kannishy, M.H., De Jong, F.H. and Lamberts, S.W.J.
Effects of suramin on hormone release by cultured rat anterior pituitary cells (72) 95
Masini, M., De Tata, V., Del Roso, A., Simonetti, I., Pollera, M. and Bergamini, E.
The brown adipose tissue of hyperthyroid rats. A biochemical and ultrastructural study (73) 27
Mason, J.I., see Mack, S.O. (74) R11
Mason, J.I., see Mathew, P.A. (73) 73
Masters, J.N., see Nolan, E.M. (69) 101
Mathew, P.A., Mason, J.I., Trant, J.M. and Waterman, M.R.
Incorporation of steroidogenic pathways which produce cortisol and aldosterone from cholesterol into nonsteroidogenic cells (73) 73
Mathews, L., see Nilsson, A. (70) 237
Mato, J.M., see Cabello, M.A. (68) R1
Mau, S.E., Larsen, P.J., Mikkelsen, J.A. and Særmark, T.
Substance P and related tachykinins induce receptor-mediated hydrolysis of polyphosphoinositides in the rat anterior pituitary (69) 69
Maurer, R.A., see Kim, K.E. (74) 101
McAdams, S., see Sato, N. (70) 273
McArdle, C.A., see Furuya, K. (70) 81
McCabe, D., see Nargolwalla, C. (70) 73
McCarter, J., Shaw, M.A., Winer, L.A. and Baumann, G.
The 20,000 Da variant of human growth hormone does not bind to growth hormone receptors in human liver (73) 11
McGehee, Jr., R.E., Rossby, S.P. and Cornett, L.E.
Detection by Northern analysis of α_1-adrenergic receptor gene transcripts in the rat (74) 1
McGrath, M.F., see Hauser, S.D. (72) 187
McNamara, B.C. and Jefcoate, C.R.
Heterogeneous pools of cholesterol side-chain cleavage activity in adrenal mitochondria from ACTH-treated rats: differential responses to different reducing precursors (73) 123
McPhaul, M.J., see Lephart, E.D. (70) 31
McPhaul, M.J., see Tilley, W.D. (68) C7
Meager, A., see Fowler, P.D. (71) 55
Meier, P.J., see Jaeggi-Groisman, S.E. (74) 69
Meijer, D., see Baarends, W.M. (74) 75
Meller, V.H. and Gilbert, L.I.
Occurrence, quaternary structure and function of G protein subunits in an insect endocrine gland (74) 133
Menzies, G.S., see Bramley, T.A. (73) 93
Mercer, J.E.
Pituitary gonadotropin gene regulation (73) C63
Messina, J.L., see Weinstock, R.S. (72) 121
Migeon, C.J., see Berkovitz, G.D. (69) 187
Mikkelsen, J.A., see Mau, S.E. (69) 69
Miller, R.J., see Blotner, M. (71) 205
Minuto, F., see Palmero, S. (68) 61
Mittre, H., see Benhaim, A. (68) 105
Miyamoto, T., see Ichikawa, K. (70) 175
Miyaura, C., see Jin, C.H. (74) 221
Moniz, C., see Burton, P.B.J. (69) R13
Montégut, M., see Chabardès, D. (73) 111

Moor, B.C., see French, M.B. (72) 221
Moore, A., see Walker, J.E. (74) 61
Morin, A., Louette, J., Voz, M.L.J., Tixier-Vidal, A., Belayew, A. and Martial, J.A.
Triiodothyronine inhibits transcription from the human growth hormone promoter (71) 261
Morley, P., Armstrong, D.T. and Calaresu, F.R.
Site at which ovarian nerve extracts inhibit thecal androgen production (71) 33
Moser, D.R., see Bhattacharya, A. (72) 213
Moudgal, N.R., see Dighe, R.R. (72) 63
Moyle, W.R., see Bernard, M.P. (71) R19
Mukhopadhyay, A.K., see Budnik, L.T. (69) 245
Müller, J., see Lauber, M. (72) 159
Murono, E.P. and Washburn, A.L.
Fibroblast growth factor inhibits 5α-reductase activity in cultured immature Leydig cells (68) R19
Murphy, L.C.
Estrogen receptor variants in human breast cancer (74) C83
Murphy, L.J., see Luo, J. (74) 213
Murphy, S.N., see Blotner, M. (71) 205
Murthy, G.S., see Dighe, R.R. (72) 63
Musset, F., Bertrand, P., Kordon, C. and Enjalbert, A.
Differential coupling with pertussis toxin-sensitive G proteins of dopamine and somatostatin receptors involved in regulation of adenohypophyseal secretion (73) 1
Myers, R.V., see Bernard, M.P. (71) R19

Nachtigal, M.N., see Nickel, B.E. (69) 93
Nadler, J., see Natarajan, R. (72) 73
Nagata, K., see Sasamura, H. (68) 53
Nagler, A., see Koeffler, H.P. (70) 1
Nakai, A., Sakurai, A., Macchia, E., Fang, V. and DeGroot, L.J.
The roles of three forms of human thyroid hormone receptor in gene regulation (72) 143
Nakai, A., see Sakurai, A. (71) 83
Naor, Z., see Dan-Cohen, H. (69) 135
Napoli, J.L., see Martin, C.A. (71) 27
Nargolwalla, C., McCabe, D. and Fritz, I.B.
Modulation of levels of messenger RNA for tissue-type plasminogen activator in rat Sertoli cells, and levels of messenger RNA for plasminogen activator inhibitor in testis peritubular cells (70) 73
Natarajan, R., Dunn, W.D., Stern, N. and Nadler, J.
Key role of diacylglycerol-mediated 12-lipoxygenase product formation in angiotensin II-induced aldosterone synthesis (72) 73
Naville, D., Chatelain, P.G., Avallet, O. and Saez, J.M.
Control of production of insulin-like growth factor I by pig Leydig and Sertoli cells cultured alone or together. Cell–cell interactions (70) 217
Negro-Vilar, A., see Culler, M.D. (70) 89
Nickel, B.E., Nachtigal, M.N., Klassen, M.E. and Cattini, P.A.
Human growth hormone gene expression in rat but not human non-pituitary cells after stable gene transfer (69) 93
Niekrasz, I., see Fuller, B.B. (72) 81
Nikula, H., Vihko, K. and Huhtaniemi, I.
Protein kinase C and G_i-protein mediated modulation of cAMP production in different stages of the rat seminiferous epithelium (70) 247
Nilsson, A., Carlsson, B., Mathews, L. and Isaksson, O.G.P.
Growth hormone regulation of the growth hormone receptor mRNA in cultured rat epiphyseal chondrocytes (70) 237
Noble, J.F., see Lephart, E.D. (70) 31
Nolan, E.M., Masters, J.N. and Dunn, A.
Growth hormone regulation of hepatic glutamine synthetase mRNA levels in rats (69) 101
Norcross, J.J., see Gurr, J.A. (71) 185
Norman, A.W., see Koeffler, H.P. (70) 1
Nussey, S.S., see Fowler, P.D. (71) 55
Ny, T., see Jia, X.-C. (68) 143

O, W.-S.
The effect of β-endorphin on rat oocyte maturation in vitro (68) 181
Ocran, K.W., see Gordon, D.F. (71) 93
Ogilvie, S., see Pawlina, W. (72) 55
O'Mara, S.M., see Russell, P.J. (71) 1
O'Neill, I.E., Houston, B. and Goddard, C.
Stimulation of insulin-like growth factor I production in primary cultures of chicken hepatocytes by chicken growth hormone (70) 41
Onoda, M. and Djakiew, D.
Modulation of Sertoli cell secretory function by rat round spermatid protein(s) (73) 35
Ooi, G.T.
Insulin-like growth factor-binding proteins (IGFBPs): more than just 1, 2, 3 (71) C39
Oron, Y., see Goren, S. (72) 131
Osumi, T., see Ichikawa, K. (70) 175

Paigen, K., see Watson, G. (68) 67
Pailhoux, E., see Martinez, A. (72) 201
Pakdel, F., Le Gac, F., Le Goff, P. and Valotaire, Y.
Full-length sequence and in vitro expression of rainbow trout estrogen receptor cDNA (71) 195
Paladini, A., see Cortizo, A.M. (71) 49
Palmero, S., Prati, M., Barreca, A., Minuto, F., Giordano, G. and Fugassa, E.
Thyroid hormone stimulates the production of insulin-like growth factor I (IGF-I) by immature rat Sertoli cells (68) 61
Paly, J., see Lesueur, L. (71) R7
Papadopoulos, V., Brown, A.S. and Hall, P.F.
Calcium-calmodulin-dependent phosphorylation of cytoskeletal proteins from adrenal cells (74) 109
Papandreou, M.-J., Sergi, I., Benkirane, M. and Ronin, C.
Carbohydrate-dependent epitope mapping of human thyrotropin (73) 15
Paria, B.C., Chakraborty, C. and Dey, S.K.
Catechol estrogen formation in the mouse uterus and its role in implantation (69) 25
Parmentier, M., see Libert, F. (68) R15
Parmentier, M., see Ludgate, M. (73) R13

Parvinen, M., see Kaipia, A. (73) 45
Pasqualini, J.R., see Sumida, C. (69) 207
Pavlovic-Hournac, M., see Breton, M.F. (71) 217
Pawlina, W., Larkin, L.H., Ogilvie, S. and Frost, S.C.
Human relaxin inhibits division but not differentiation of 3T3-L1 cells (72) 55
Peeters, B., see Claessens, F. (74) 203
Pellerin, I., see Jouvenot, M. (72) 149
Pelletier, G., see Dupont, E. (74) R7
Pelletier, G., see Labrie, C. (68) 169
Pelletier, G., see Martel, C. (72) R7
Pereira, F., Belsham, D., Duerksen, K., Rosenmann, E., Kaufman, M., Pinsky, L. and Wrogemann, K.
The 56 kDa androgen-binding protein in human genital skin fibroblasts: its relation to the human androgen receptor (68) 195
Perret, J., see Libert, F. (68) R15
Perret, J., see Ludgate, M. (73) R13
Perret, J., see Van Sande, J. (74) R1
Petäjä-Repo, U.E. and Rajaniemi, H.J.
Subunit interaction of human chorionic gonadotropin (hCG) with rat ovarian luteinizing hormone (LH)/CG receptor (72) 43
Peterson, K.G., see Lephart, E.D. (70) 31
Pickles, A., see Burton, P.B.J. (69) R13
Picon, R., see Rouiller, V. (72) 111
Pineau, C., Sharpe, R.M., Saunders, P.T.K., Gérard, N. and Jégou, B.
Regulation of Sertoli cell inhibin production and of inhibin α-subunit mRNA levels by specific germ cell types (72) 13
Pines, M., see Shamay, A. (69) 217
Pinsky, L., see Pereira, F. (68) 195
Pollera, M., see Masini, M. (73) 27
Pontecorvi, A., see Goncalves, E. (69) 157
Pospiech, H.M., see Bovenberg, W.A. (74) 45
Potier, M., see Toulas, C. (72) 89
Prati, M., see Palmero, S. (68) 61
Pratt, G.E., Farnsworth, D.E. and Feyereisen, R.
Changes in the sensitivity of adult cockroach corpora allata to a brain allatostatin (70) 185
Pratt, W.B.
Interaction of hsp90 with steroid receptors: organizing some diverse observations and presenting the newest concepts (74) C69
Przylipiak, A., Kiesel, L., Habenicht, A.J.R., Przylipiak, M. and Runnebaum, B.
Exogenous action of 5-lipoxygenase by its metabolites on luteinizing hormone release in rat pituitary cells (69) 33
Przylipiak, M., see Przylipiak, A. (69) 33
Puissant, C., see Malienou-Ngassa, R. (73) 53

Quérat, B., Jutisz, M., Fontaine, Y.A. and Counis, R.
Cloning and sequence analysis of the cDNA for the pituitary glycoprotein hormone α-subunit of the European eel (71) 253
Quirke, P., see Burton, P.B.J. (69) R13

Raggatt, L.E., see Barlow, J.W. (69) 129
Raghavan, D., see Russell, P.J. (71) 1
Rajaniemi, H.J., see Petäjä-Repo, U.E. (72) 43
Rao, C.V., see Chegini, N. (71) 133
Rapoport, B., see Chazenbalk, G.D. (68) R25
Rasmussen, H., see Zawalich, W.S. (70) 119
Raspé, E., see Van Sande, J. (74) R1
Raue, F., see Lazaretti-Castro, M. (71) R13
Ravindra, R. and Grosvenor, C.E.
Involvement of cytoskeleton in polypeptide hormone secretion from the anterior pituitary lobe: a review (71) 165
Reichel, H., see Koeffler, H.P. (70) 1
Resnick, C.E., see Adashi, E.Y. (72) 1
Resnick, C.E., see Adashi, E.Y. (74) 175
Riccio, A., see Andreasen, P.A. (68) 1
Riccio, A., see Georg, B. (72) 103
Richard, D.S., Applebaum, S.W. and Gilbert, L.I.
Allatostatic regulation of juvenile hormone production in vitro by the ring gland of *Drosophila melanogaster* (68) 153
Richards, R.I., see Barlow, J.W. (69) 129
Richter, W.O., Jacob, B.G. and Schwandt, P.
Processing of the lipid-mobilizing peptide β-lipotropin in rabbit adipose tissue (71) 229
Ricquier, D., see Klaus, S. (73) 105
Ridgway, E.C., see Gordon, D.F. (71) 93
Riven-Kreitman, R., Tauber-Finkelstein, M., Zipori, D. and Shaltiel, S.
A periodicity in the response of SJL/J thymocytes to isoproterenol. Simulation by cell lines (73) 211
Robbins, J., see Goncalves, E. (69) 157
Roberts, A.J. and Skinner, M.K.
Mesenchymal-epithelial cell interactions in the ovary: estrogen-induced theca cell steroidogenesis (72) R1
Roberts, J.L., see Kim, K.E. (74) 101
Robertson, D.M., see Xiao, S. (69) 1
Roger, P.P., see Lamy, F. (73) 195
Roivainen, R., see Koistinaho, J. (71) R1
Rombauts, W.A., see Claessens, F. (74) 203
Rommerts, F.F.G., see Kilgore, M.W. (69) 9
Rommerts, F.F.G., see Teerds, K.J. (69) R1
Ron, D., Brasier, A.R. and Habener, J.F.
Transcriptional regulation of hepatic angiotensinogen gene expression by the acute-phase response (74) C97
Ronin, C., see Papandreou, M.-J. (73) 15
Roseau, S., see Semmekrot, B. (68) 35
Rosenfeld, R.G., see Adashi, E.Y. (74) 175
Rosenmann, E., see Pereira, F. (68) 195
Rossby, S.P., see McGehee, Jr., R.E. (74) 1
Rouiller, V., Gangnerau, M.N., Vayssiere, J.L. and Picon, R.
Cholesterol side-chain cleavage activity in rat fetal gonads: a limiting step for ovarian steroidogenesis (72) 111
Roux-Dossetto, M., see Berthois, Y. (74) 11
Rowlands, C., see Astroff, B. (72) 247
Royez, M., see Jouvenot, M. (72) 149
Rundle, S.E., Fullerton, M.J. and Funder, J.W.
Induction of ventricular morphogenesis and atrial natriuretic factor synthesis by thyroid hormone (68) 163
Runnebaum, B., see Przylipiak, A. (69) 33

Rushmere, N.K., see Claessens, F. (74) 203
Ruskoaho, H., see Uusimaa, P.A. (73) 153
Russell, P.J., O'Mara, S.M. and Raghavan, D.
Ectopic hormone production by small cell undifferentiated carcinomas (71) 1
Ryffel, G.U., see Kaling, M. (69) 167
Rymo, L., see Carlsson, B. (73) R1

Særmark, T., see Mau, S.E. (69) 69
Saez, J.M., see Naville, D. (70) 217
Safayhi, H., see Wahl, M.A. (71) 63
Safe, S., see Astroff, B. (72) 247
Sakakibara, R., see Takeuchi, Y. (69) 145
Saksela, E., see Jäättelä, M. (68) R31
Sakurai, A., Nakai, A. and DeGroot, L.J.
Structural analysis of human thyroid hormone receptor β gene (71) 83
Sakurai, A., see Nakai, A. (72) 143
Salesse, R., Bidart, J.-M., Troalen, F., Bellet, D. and Garnier, J.
Peptide mapping of intersubunit and receptor interactions of human choriogonadotropin (68) 113
Salomon, Y.
Melanocortin receptors: targets for control by extracellular calcium (70) 139
Salton, S.R.J., see Kim, K.E. (74) 101
Sambrook, J.F., see Sunnergren, K.P. (68) R7
Sánchez-Arias, J.A., see Cabello, M.A. (68) R1
Sarapura, V.D., see Gordon, D.F. (71) 93
Saruta, T., see Sasamura, H. (68) 53
Sasamura, H., Nagata, K., Yamazoe, Y., Shimada, M., Saruta, T. and Kato, R.
Effect of growth hormone on rat hepatic cytochrome *P*-450f mRNA: a new mode of regulation (68) 53
Sato, N., Wang, X., Greer, M.A., Greer, S.E. and McAdams, S.
The permeant molecule urea stimulates prolactin secretion in GH_4C_1 cells by inducing Ca^{2+} influx through dihydropyridine-sensitive Ca^{2+} channels (70) 273
Sato, N., see Wang, X. (74) 185
Sato, T., see Jin, C.H. (74) 221
Saunders, P.T.K., see Pineau, C. (72) 13
Scammell, J.G., Wear, L.B. and Von Haven, R.
A monoclonal antibody which inhibits the biological activity of rat prolactin, but not prolactin from other species (71) 125
Schwandt, P., see Richter, W.O. (71) 229
Schwartz, J.
Evidence for intrapituitary intercellular control of adrenocorticotropin secretion (68) 77
Schwarz, L.K., see Boockfor, F.R. (73) 187
Segre, G.V., see Burton, P.B.J. (69) R13
Semmekrot, B., Roseau, S., Vassent, G. and Butlen, D.
Developmental patterns of renal atrial natriuretic peptide receptors: [^{125}I]alpha-rat atrial natriuretic peptide binding in glomeruli and inner medullary collecting tubules microdissected from kidneys of young rats (68) 35
Sener, A., see Boschero, A.C. (73) 63
Sergi, I., see Papandreou, M.-J. (73) 15
Shaltiel, S., see Riven-Kreitman, R. (73) 211
Shamay, A., Pines, M., Waksman, M. and Gertler, A.
Proliferation of bovine undifferentiated mammary epithelial cells in vitro is modulated by G-proteins (69) 217
Shangold, G.A., see Blotner, M. (71) 205
Shani, M., see Bar, A. (72) 23
Sharpe, R.M., see Pineau, C. (72) 13
Shaw, M.A., see McCarter, J. (73) 11
Shen, Q.-X. and Bahl, O.P.
cDNA-derived amino acid sequences of choriocarcinoma α- and β-subunits of human choriogonadotropin (72) 167
Shepard, A.R., see Bhattacharya, A. (72) 213
Shimada, M., see Sasamura, H. (68) 53
Shimasaki, S., see Klaij, I.A. (68) 45
Shin, S.H., see Stirling, R.G. (70) 65
Shiota, K., see Katayama, T. (69) 179
Shukovski, L., Fortune, J.E. and Findlay, J.K.
Oxytocin and progesterone secretion by bovine granulosa cells of individual preovulatory follicles cultured in serum-free medium (69) 17
Siaume-Perez, S., see Chabardès, D. (73) 111
Simard, J., see Dauvois, S. (73) 171
Simard, J., see Labrie, C. (68) 169
Simonetti, I., see Masini, M. (73) 27
Simpson, E.R., Lund, J., Ahlgren, R. and Waterman, M.R.
Regulation by cyclic AMP of the genes encoding steroidogenic enzymes: when the light finally shines ... (70) C25
Singer, F., see Koeffler, H.P. (70) 1
Skinner, M.K., see Roberts, A.J. (72) R1
Smas, C.M., see Adler, G.K. (70) 165
Smith, W.A., see Keightley, D.A. (74) 229
Soares, M.J., see Deb, S. (74) 163
Sohal, G.S., see Browne, E.S. (70) 49
Sowers, J.R.
Insulin resistance and hypertension (74) C87
Spenny, K.A., see Wahl, M.A. (71) 63
Spinel-Gomez, C., Colin, I., Van den Hove, M.-F. and Denef, J.-F.
Correlated morphological and functional study of isolated rat thyroid follicles in suspension culture (71) 141
Stacey, S.N., see Andreasen, P.A. (68) 1
Steenbergen, J., see Marzouk, H.F.A.I. (72) 95
Stenman, U.-H., see Jäättelä, M. (68) R31
Stern, N., see Natarajan, R. (72) 73
Stirling, R.G. and Shin, S.H.
A high concentration of dopamine preferentially permitted release of newly synthesized prolactin (70) 65
Stocco, D.M., see Kilgore, M.W. (69) 9
Stoeckel, M.E., see Hindelang, C. (70) 225
Strachan, M.W.J., see Walker, S.W. (72) 227
Striem, S., see Bar, A. (72) 23
Stuchbury, S., see Fullerton, M.J. (69) 227
Suda, T., see Jin, C.H. (74) 221
Sumida, C. and Pasqualini, J.R.
Stimulation of progesterone receptors by phorbol ester and cyclic AMP in fetal uterine cells in culture (69) 207
Sunnergren, K.P., Ann Word, R., Sambrook, J.F., MacDonald, P.C. and Linette Casey, M.

Expression and regulation of endothelin precursor mRNA in avascular human amnion (68) R7
Sussenbach, J.S., see Bovenberg, W.A. (74) 45

Tacker, M., see Fowler, P.D. (71) 55
Takahashi, M., see Katayama, T. (69) 179
Takahashi, M., see Martel, C. (72) R7
Takeda, T., see Ichikawa, K. (70) 175
Takeuchi, Y., Sakakibara, R. and Ishiguro, M.
Synthesis and secretion of human chorionic gonadotropin and its subunits in choriocarcinoma cells: a comparative study with normal placental cells (69) 145
Tata, J.R., see Varriale, B. (71) R25
Taton, M., see Lamy, F. (73) 195
Tauber-Finkelstein, M., see Riven-Kreitman, R. (73) 211
Teerds, K.J., Rommerts, F.F.G. and Dorrington, J.H.
Immunohistochemical detection of transforming growth factor-α in Leydig cells during the development of the rat testis (69) R1
Thauvette, L., see Toulas, C. (72) 89
Themmen, A.P.N., see Baarends, W.M. (74) 75
Themmen, A.P.N., see Klaij, I.A. (68) 45
Thorsen, T., see Lahooti, H. (74) 21
Thorsen, T., see Lahooti, H. (74) 33
Thotakura, N.R., Weintraub, B.D. and Bahl, O.P.
The role of carbohydrate in human choriogonadotropin (hCG) action. Effects of N-linked carbohydrate chains from hCG and other glycoproteins on hormonal activity (70) 263
Tidikis, I.M., see Gurr, J.A. (71) 185
Tilley, W.D., Marcelli, M. and McPhaul, M.J.
Recent studies of the androgen receptor: new insights into old questions (68) C7
Timmerman, M.A., see Grootenhuis, A.J. (70) 109
Timmerman, M.A., see Grootenhuis, A.J. (74) 125
Tixier-Vidal, A., see Morin, A. (71) 261
Tobin, R.B., see Horrum, M.A. (68) 137
Tobler, A., see Koeffler, H.P. (70) 1
Toebosch, A.M.W., see Klaij, I.A. (68) 45
Tomlinson, S., see Trebilcock, R. (71) 21
Toppari, J., see Kaipia, A. (73) 45
Toulas, C., Beauregard, G., Delassus, F., Thauvette, L., Potier, M., Bayard, F. and Faye, J.-C.
Target size analysis of estrogen receptor in cultured intact cells: change in receptor structure between subconfluency and superconfluency in culture (72) 89
Trant, J.M., see Mathew, P.A. (73) 73
Trapman, J., see Baarends, W.M. (74) 75
Trebilcock, R., Lynch, A., Tomlinson, S. and Best, L.
Na^+/H^+ exchange is responsible for intracellular pH regulation in insulin-secreting HIT-T15 cells (71) 21
Triffit, J.T., see Burton, P.B.J. (69) R13
Troalen, F., see Salesse, R. (68) 113
Trudel, C., see Martel, C. (72) R7
Trydal, T., Lillehaug, J.R., Aksnes, L. and Aarskog, D.
Effect of 1,25-$(OH)_2$-vitamin D_3 on growth, homologous receptor and c-*myc* regulation in C3H/10T1/2 cells (74) 191
Tzannatos, C., see Burton, P.B.J. (69) R13

Uusimaa, P.A., Ruskoaho, H., Leppäluoto, J. and Hassinen, I.E.
Cytosolic Ca^{2+} during atrial natriuretic peptide secretion from cultured neonatal cardiomyocytes (73) 153

Valentijn, A.J., see Campbell, D.J. (73) 83
Valotaire, Y., see Pakdel, F. (71) 195
Van Beurden, W.M.O., see Grootenhuis, A.J. (74) 125
Van Buul-Offers, S.C., see Bovenberg, W.A. (74) 45
Van den Brande, J.L., see Bovenberg, W.A. (74) 45
Van den Hove, M.-F., see Spinel-Gomez, C. (71) 141
Vanecek, J., Kosar, E. and Vorlicek, J.
Daily changes in melatonin binding sites and the effect of castration (73) 165
Van Koetsveld, P.M., see Marzouk, H.F.A.I. (72) 95
Van Sande, J., Raspé, E., Perret, J., Lejeune, C., Maenhaut, C., Vassart, G. and Dumont, J.E.
Thyrotropin activates both the cyclic AMP and the PIP_2 cascades in CHO cells expressing the human cDNA of TSH receptor (74) R1
Van Sande, J., see Libert, F. (68) R15
Varriale, B. and Tata, J.R.
Autoinduction of estrogen receptor is associated with FOSP-1 mRNA induction by estrogen in primary cultures of *Xenopus* oviduct cells (71) R25
Vassart, G., see Libert, F. (68) R15
Vassart, G., see Ludgate, M. (73) R13
Vassart, G., see Van Sande, J. (74) R1
Vassent, G., see Semmekrot, B. (68) 35
Vayssiere, J.L., see Rouiller, V. (72) 111
Velu, T.J.
Structure, function and transforming potential of the epidermal growth factor receptor (70) 205
Verhoeven, G. and Cailleau, J.
Influence of coculture with Sertoli cells on steroidogenesis in immature rat Leydig cells (71) 239
Verhoeven, G., see Cailleau, J. (69) 79
Vermeire, S., see Cailleau, J. (69) 79
Vihko, K., see Nikula, H. (70) 247
Von Haven, R., see Scammell, J.G. (71) 125
Vorlicek, J., see Vanecek, J. (73) 165
Voz, M.L.J., see Morin, A. (71) 261

Wadsworth, H.L., see Chazenbalk, G.D. (68) R25
Wahl, M.A., Spenny, K.A., Safayhi, H. and Ammon, H.P.T.
Effect of W-7 on ionic fluxes and electrical activity of mouse pancreatic islets (71) 63
Waksman, M., see Shamay, A. (69) 217
Walka, M., see Koeffler, H.P. (70) 1
Walker, J.E., Jones, R., Moore, A., Hamilton, D.W. and Hall, L.
Analysis of major androgen-regulated cDNA clones from the rat epididymis (74) 61
Walker, S.W., Strachan, M.W.J., Lightly, E.R.T., Williams, B.C. and Bird, I.M.
Acetylcholine stimulates cortisol secretion through the M3 muscarinic receptor linked to a polyphosphoinositide-specific phospholipase C in bovine adrenal fasciculata/reticularis cells (72) 227

Wang, D., see Lin, T. (73) 147
Wang, Q.F., Farnworth, P.G., Burger, H.G. and Findlay, J.K.
Acute inhibitory effect of follicle-stimulating hormone-suppressing protein (FSP) on gonadotropin-releasing hormone-stimulated gonadotropin secretion in cultured rat anterior pituitary cells (72) 33
Wang, X., Sato, N. and Greer, M.A.
Lidocaine and procaine inhibit the increase in cytosol Ca^{2+} induced by thyrotropin-releasing hormone or K^+ depolarization in GH_4C_1 cells (74) 185
Wang, X., see Sato, N. (70) 273
Washburn, A.L., see Murono, E.P. (68) R19
Waterman, M.R., see Mathew, P.A. (73) 73
Waterman, M.R., see Simpson, E.R. (70) C25
Watson, G. and Paigen, K.
Progressive induction of mRNA synthesis for androgen-responsive genes in mouse kidney (68) 67
Wear, L.B., see Scammell, J.G. (71) 125
Weimar-Ehl, T., see Kaling, M. (69) 167
Weinstock, R.S. and Messina, J.L.
Decreased induction of an hepatic mRNA by phorbol esters after insulin desensitization (72) 121
Weintraub, B.D., see Thotakura, N.R. (70) 263
Whitley, G.S.J., see Fowler, P.D. (71) 55
Williams, B.C., see Walker, S.W. (72) 227
Wimalawansa, S.J.
Effects of in vivo stimulation on molecular forms of circulatory calcitonin and calcitonin gene-related peptide in man (71) 13
Winer, L.A., see McCarter, J. (73) 11
Wirtz, K.W.A., see Kilgore, M.W. (69) 9
Wood, W.M., see Gordon, D.F. (71) 93
Wozniak, M. and Jones, G.
Glycosylation and isoform variation of juvenile hormone esterase in the fat body and hemolymph during metamorphosis of *Trichoplusia ni* (Lepidoptera) (70) 255
Wrogemann, K., see Pereira, F. (68) 195
Xiao, S., Findlay, J.K. and Robertson, D.M.
The effect of bovine activin and follicle-stimulating hormone (FSH) suppressing protein/follistatin on FSH-induced differentiation of rat granulosa cells in vitro (69) 1
Yamada, T., see Ichikawa, K. (70) 175
Yamauchi, K., see Ichikawa, K. (70) 175
Yamazoe, Y., see Sasamura, H. (68) 53
Yang, G., see Koistinaho, J. (71) R1
Youdim, M.B.H., see Amit, T. (70) 197
Youdim, M.B.H., see Amit, T. (72) 139
Young, K.H., Buhi, W.C., Horseman, N., Davis, J., Kraeling, R., Linzer, D. and Bazer, F.W.
Biological activities of glycosylated and nonglycosylated porcine prolactin (71) 155
Yu-Lee, L.-y.
Prolactin stimulates transcription of growth-related genes in Nb2 T lymphoma cells (68) 21
Zawalich, K.C., see Zawalich, W.S. (68) 129
Zawalich, W.S. and Rasmussen, H.
Control of insulin secretion: a model involving Ca^{2+}, cAMP and diacylglycerol (70) 119
Zawalich, W.S. and Zawalich, K.C.
Influence of monooleoylglycerol on islet cell phosphoinositide hydrolysis and insulin secretion (68) 129
Zhao, H.-F., see Labrie, C. (68) 169
Zhou, Y., see Chabardès, D. (73) 111
Ziegler, L.M., see Martin, C.A. (71) 27
Ziegler, R., see Lazaretti-Castro, M. (71) R13
Zimmerli, B., see Jaeggi-Groisman, S.E. (74) 69
Zipori, D., see Riven-Kreitman, R. (73) 211
Zuiderwijk, J., see Marzouk, H.F.A.I. (72) 95